



UGD LIDNARY











STATE OF CALIFORNIA The Resources Agency

Department of Water Resources

BULLETIN No. 181-71

WATERMASTER SERVICE

IN THE

UPPER LOS ANGELES RIVER AREA LOS ANGELES COUNTY

FOR PERIOD

OCTOBER 1, 1970 THROUGH SEPTEMBER 30, 19

MARCH 1972

RONALD REAGAN

Governor

GOV'T. DUCS. - LIBRARY

MAR 1 1972





STATE OF CALIFORNIA The Resources Agency

Department of Water Resources

BULLETIN No. 181-71

WATERMASTER SERVICE

IN THE

LOS ANGELES COUNTY

FOR PERIOD

OCTOBER 1, 1970 THROUGH SEPTEMBER 30, 1971

MARCH 1972

NORMAN B. LIVERMORE, JR. Secretary for Resources The Resources Agency RONALD REAGAN
Governor
State of California

WILLIAM R. GIANELLI

Director

Department of Water Resources

ABSTRACT

The 1970-71 water year was a slightly below-average rainfall year. Rainfall in the valley increased by 5.07 inches above the prior year and was about 0.88 inches below the LACFCD 85 year mean precipitation. As a result, appreading operations by the LACFCD increased by 19% of the prior year's apreading. The control of ground water extractions imposed by the restricted pumping resulted in 7.19 percent less than the total allowed Restricted Fumping and an increase in imports of 22 percent over the prior year.

Nine parties overextracted a total of 2,019.60 acre-feet in the 1970-71 water year. Five of the nine parties are in violation of the Judgment either as a result of having a zero water right or having exceeded their allowable extraction by 10 percent of their Restricted Pumping.

During 1970-71 the Watermaster processed thirteen water right sale and assignment agreements. Several parties were warned about violations of the Judgment.

Item	Water Y	ear
Item	1969-70	1970-71
Parties	28	28
Active pumpers	24	23
Active nonparties (within valley fill)	2	2
Restricted Pumping, in acre-feet	104,040	104,040
Watermaster expenses (fiscal year)	\$ 24,709.04	\$ 21,647.37
per acre-foot pumped	\$ 0.23	0.22
Valley rainfall, in inches	10.5	15.57
Spreading Operations, in acre-feet		
LACFCD	14,228	16,940
Los Angeles, City of	13,401	7,203
Extractions, in acre-feet	109,618	96,555.61
Imports, in acre-feet		
Colorado River water	36,890	33,607
Owena River water	390,255	486,996
Delivered to hill and mountain		1
areas, in acre-feet	43,995	41,778
Exports, in acre-feet		
Owens River water	166,638	271,359
Sewage	108,527	107,358

State of California The Resources Agency DEPARTMENT OF WATER RESOURCES

Ronald Reagan, Governor
Norman B. Livermore, Jr., Secretary for Resources
William R. Gianelli, Director, Department of Water Resources
John R. Teerink, Deputy Director

SOUTHERN DISTRICT District Engineer and Watermaster James J. Doody Chief, Operations Branch and Deputy Mitchell L. Gould . Watermaster Watermaster service in this area was conducted and report prepared under the direction of Clyde B. Arnold . . . Chief, Contracts Administration Section bу Deputy Watermaster Carlos Madrid assisted by Gabriel V. Valenzuela Water Resources Engineering Associate · · · · Assistant Civil Engineer Cesar M. Garma . · Water Resources Technician II Morton B. Graham · Water Resources Technician II Joseph F. Scott . * Water Resources Technician II Raymond D. Woo . · Water Resources Technician I Henry B. Whitney

* Water Resources Technician I * Water Resources Technician I

Allan M. McDonagh .

John A. Stanley . Larry S. Brudner

FOREWORD

The Department of Water Resources, as Watermaster for the Upper Los Angeles River Area, submits this annual report as a comprehensive review of water supply conditions in the Basin during the 1970-71 water year. The report was prepared for the Superior Court in the County of Los Angeles, and for the parties to the Upper Los Angeles River Area Judgment, whose provisions authorize its publication.

The Upper Los Angeles River Area is administered by the Department as a watermaster service area in accordance with Part 4, Division 2, of the California Water Code. The Basin has been operating for several years under a well-defined management plan that limits and monitors ground water extractions.

This report contains information on ground water extractions, use of imported water, recharge operations, a financial report on watermaster service during the 1970-71 water year, and the tentative budget of the Watermaster for the 1972-73 water year.

James J. Doody District Engineer Southern District and Watermaster Reg. C. E. No. 6500

TABLE OF CONTENTS

	Page	Pa	ge
ABSTRACT	i	APPENDIXES	
ORGANIZATION	i	Appendix A: Restricted Pumping of Upper Los Angeles River	
FOREWORD	ii	Area Parties, September 1971, and Copies of Legal	
I. THE UPPER LOS ANGELES		Documents 4	9
RIVER AREA	1	Appendix B: Ground Water	
History of Adjudication	1	Extractions 6	1
Watermaster Service	4		
Advisory Board	5	Appendix C: Mean Daily Dis- charge at Key Surface	
II. WATER SUPPLY CONDITIONS	7	Runoff Gaging Stations 6	7
Precipitation	7	Appendix D: Wells Drilled	
Runoff and Outflow from ULARA.	10	and Destroyed 7	3
Ground Water Recharge	12		
Ground Water Table Elevations.	13	Appendix E: Earthquake Damage	
Waste Water Reclamation	13	to Water Supply Systems -	
	22	Cities of Los Angeles and	
Water Quality	22	San Fernando	7
III. WATER USE AND DISPOSAL	25		Ĺ
III. WAIER ODE AND DISTORAL	2)	FIGURES	
Ground Water Extractions	25		
Extractions by Nonparties	28	Figure No.	
Water Wells in ULARA	28	12802 110	
Imports and Exports of Water	34	1. Fluctuation of Water Level	
	34	Elevation at Wells in the	
Physical Data by Basins	34	San Fernando Basin 2	0
IV. ADMINISTRATION OF			
THE JUDGMENT	39	2. Fluctuation of Water Level Elevation at Wells in the	
Assignments of Restricted		San Fernando, Sylmar,	
Pumping	39	and Verdugo Basins 2	1
Overextractions	39		
Findings, Determinations and	-	3. Gasoline Pollution-Forest	
Recommendations by the		Lawn; Glendale; Los	
Watermaster	40	Angeles 2	3
V. ADMINISTRATIVE COSTS .	43	4. Ground Water Extractions and Use of Imported Water	
Approved Budget for 1970-71	43	in Upper Los Angeles River	
Approved Budget for 1971-72	45 45	Area 2	4
Tentative Budget for 1972-73			

		Page			F	Page
	FIGURES (cont'd)			TABLES (cont'd)		
Pig	ure No.		Tab	le No.		
· .	Monthly Water Demand and Average Rainfall in Upper Los Angeles River Area	24	4.	Spreading Operations	٠	12
5.	System for Water Well Identification	29	5.	Waste Water Reclamation Plants	٠	13
	PLATES		6.	Restricted Pumping and Quantities Extracted and Assigned		26
Pla L.	te No. Upper Los Angeles River	2	7.	Extractions by Nonparties		28
2	Area	. 3	8.	ULARA Imports and Exports		35
2.	Precipitation Stations	. 9	9.	Summary of Water Supply and Disposal by Basins		36
3.	Lines of Equal Elevation of Ground Water, Spring 1971.	. 15	10.	Assignments of Restricted Pumping		39
+.	Lines of Equal Elevation of Ground Water, Fall 1971	. 17	11.	Overextractions		40
5.	Lines of Equal Change in Ground Water Elevation, Fall 1970 to Fall 1971	. 19	12.	Approved Budget for 1970-71		43
6.	Water Service Areas of Muni-	-,	13.	Apportionment of Parties' Share of 1970-71 Budget		44
	cipal, Mutual, and Public Utility Water Service Agencies, September 1971.	. 31	14.	Statement of July 1, 1970- June 30, 1971 Income and Expenditures		44
7.	Water Service Areas of Individual Producers, September 1971	• 33	15.	Approved Budget for the Fiscal Year July 1, 1971 Through June 30, 1972		45
	TABLES		16.	Apportionment of Parties		
Tal	ole No			Share of 1971-72 Budget		45
1.	Precipitation	. 7	17.	Tentative Budget for the Fiscal Year July 1, 1972 Through June 30, 1973		46
2.	Monthly Runoff at Selected Gaging Stations	. 11	18.	Apportionment of Parties'		
3.	Separation of Surface Flow	. 11		Share of 1972-73 Budget		47



I. THE UPPER LOS ANGELES RIVER AREA

The Upper Los Angeles River Area (ULARA) encompasses all of the watershed of the Los Angeles River and its tributaries above a point in said river designated as Los Angeles County Flood Control District Gaging Station F-57C, northwesterly of the junction of the surface channels of the Los Angeles River and the Arroyo Seco as shown on Plate 1.

The entire area consists of approximately 329,000 acres, comprising 123,000 acres of valley fill area, referred to as the ground water basins, and 206,000 acres of hill and mountain areas. ULARA is bounded on the north by the Santa Susana Mountains and on the west by the Simi Hills. To the south, the Santa Monica Mountains separate it from the Los Angeles Basin and to the east the San Gabriel Mountains separate it from the San Gabriel Basin.

ULARA, as defined in the Judgment, has four distinct hydrologic ground water basins. The water supplies of these basins are separate and independent and are replenished by deep percolation from rainfall and from a portion of the water that is delivered for use within these basins and which returns to the ground water body. The four ground water basins in ULARA are the San Fernando Basin, the Sylmar Basin, the Verdugo Basin, and the Eagle Rock Basin. See Plate 1.

The San Fernando Basin is the largest of the four basins in ULARA. It consists of approximately 112,047 acres and comprises 90.8 percent of the total valley fill. It is bounded on the east and northeast by the San Rafael Hills and Verdugo Mountains; on the northwest and west by the Santa Susana Mountains and Simi Hills; and on the south by the Santa Mountains.

The Sylmar Basin is located in the northerly part of ULARA. It consists of approximately 5,565 acres and comprises 4.5 percent of the total valley fill. It is bounded on the north and east by the San Gabriel Mountains; the topographic divide in the valley fill, lying between the Mission Hills and San Gabriel Mountains, divide it on the west; and to the south it is divided by the eroded limb of the Little Tujunga syncline.


The Verdugo Basin is located to the north and east of the Verdugo Mountains in ULARA. It consists of approximately 4,400 acres and comprises 3.8 percent of the total valley fill. It is bounded on the north by the San Gabriel Mountains; on the south and southwest by Verdugo Mountains; on the southeast by the San Rafael Mountains; and on the east by the ground water divide between the Monk Hill Subarea of the Raymond Basin and the Verdugo Basin.

The Eagle Rock Basin is the smallest of the four basins and is located in the extreme southeast corner of ULARA. It comprises approximately 807 acres and consists of 0.6 percent of the total valley fill.

History of Adjudication

ULARA was established by the JUDGMENT AFTER TRIAL BY COURT in Superior Court Case No. 650,079, entitled "The City of Los Angeles, A Municipal Corporation, Plaintiff, vs. City of San Fernando, et al., Defendants" signed March 14, 1968 by the Honorable Edmund M. Moor, Judge of the Superior Court. Prior to the Judgment, numerous pretrials were held, subsequent to the filing of the action by the City of Los Angeles in 1955 and before the trial commenced on March 1, 1966.





On March 19, 1958, an Interim Order of Reference was entered by the Court directing the State Water Rights Board (now known as the Water Resources Control Board) to study the availability of all public and private records, documents, reports, and data relating to a proposed order of reference in the case. The Court subsequently entered an order on June 11, 1958, entitled "Order of Reference to State Water Rights Board to Investigate and Report Upon the Physical Facts (Section 2001, Water Code)".

A final Report of Referee was approved on July 27, 1962 and filed with the Court. The Report of Reference made a complete study of the geology, insofar as it affects the occurrence and movement of ground water, and the surface and ground water hydrology of the area. In addition, the Board investigated the surface location of the beds and banks and of the channels of the Los Angeles River and its tributaries; the areas, limits, and directions of flow of all ground water within the area; the quality of the ground water in the basins; all sources of water, whether it be diverted, extracted, or imported, etc. This was the basis for the Judgment.

The City of Los Angeles has since filed an appeal with the Court of Appeals. The City of Los Angeles' brief is on file and The Metropolitan Water District of Southern California (MWD) has filed a brief amicus curiae on behalf of appellant. MWD is now planning to file a motion for leave to withdraw the brief amicus curiae since the City of San Fernando has joined its District.

Originally, the defendant's briefs were due March 24, 1970, and the appellant's closing brief due on July 13, 1970. However, the respondent's brief was filed as of September 6, 1971, and the appellant's

closing brief is scheduled to be filed on March 9, 1972. It thus appears that the appeal in this matter will not be ready for hearing until in or about the middle of 1973.

Watermaster Service

Watermaster Service is administered by the California Department of Water Resources in accordance with Division 2, Part 4, of the California Water Code. Under Section 4025 of the Water Code, the Department is authorized to divide the State into watermaster service areas. Pursuant to Section 4026, such service areas are created from time to time as rights to water are ascertained and determined. Particularly where ground water is concerned, such rights are usually ascertained or determined by court decree.

The first watermaster service area was formed in September 1929 and the latest (ULARA) was formed on April 19, 1968. Currently there are 19 such areas controlling surface water diversions in Northern California and four in Southern California controlling ground water use.

Under the Judgment, the Court appointed the Department of Water Resources as Watermaster to assist the Court in the administration and enforcement of the provisions of the Judgment, and to keep the Court fully advised in the premises.

A major task of the Watermaster in ULARA is that of monitoring ground water extractions. In accordance with the "General Information Policies and Procedures" dated January 4, 1971, and adopted by the Advisory Board, every ground water pumper reports its ground water extractions on a monthly basis on preprinted forms prepared and supplied by the Watermaster. This makes possible the updating of the water right accounts (Watermaster Water Production Summary) by computing the amount pumped during the previous

month, the total amount pumped to date, and the amount that can be legally pumped during the remainder of the water year. A copy of the updated account is then mailed to the pumper each month.

The watermaster field staff performs water meter tests to verify ground water production reported by the parties, when requested by any party to the Judgment or at the discretion of the Watermaster.

Defective or inaccurate water measureing devices must be repaired within 30 days after receiving written notice of the results of the test from the Watermaster. A number of ground water production tests were performed during 1970-71.

The Watermaster keeps the Court apprised of hydrologic conditions within ULARA by means of this annual report and on special occasions by correspondence directed to the Court, both of which are reviewed by an advisory board before submittal. In preparing the annual report, the Watermaster collects and reports all information affecting and relating to the water supply and disposal within ULARA. Such information includes the following items:

- 1. Water Supply a. Precipitation
 - b. Imported water
- 2. Water Use and Disposal
 - a. Extractions
 - (1) Used in valley fill area
 - (2) Exported from each basin
 - b. Water Outflow
 - (1) Surface
 - (2) Subsurface
 - (3) Sewers
- 3. Water Levels
- 4. Transfers of Water Rights

- 5. Watermaster Administrative Budgets and Costs
- Compliance and Violation by any Party in Terms of the Judgment.
- 7. Ownership and Locations of New Wells.

In addition to the above duties, the Watermaster also makes recommendations as it deems appropriate in connection with the proper utilization of the water supply in the underground storage capacities of ULARA.

Advisory Board

Section X, Paragraph 5 of the ULARA Judgment established an Advisory Board for the purpose of advising the Watermaster in the administration of its duties. The duly appointed members of the Board, as of September 30, 1971, are:

City of Los Angeles
Gerard A. Wyss (Vice Cheirman)
Melvin L. Blevins (Secretary)
Paul H. Lane (Alternate)

City of Glendale William H. Fell Arnold W. Jagow (Alternate)

City of Burbank
Alan A. Capon
Martindale Kile, Jr. (Alternate)

City of San Fernando Robert James (Chairman) Stuart E. Bergman (Alternate)

Crescenta Valley County Water District Robert E. Blomquist Robert Argenio (Alternate)

The Advisory Board may be convened by the Watermaster at any time in order to seek its advice. In addition, the Advisory Board is also responsible for reviewing with the Watermaster the proposed annual budget and annual report.

During the 1970-71 water year, the Advisory Board was convened three times, once on October 6, 1970, once on February 3, 1971, and once on February 25, 1971. The October 6 meeting was called for the purpose of discussing the following items:

- 1. Election of new advisory board chairman and vice chairman.
- 2. Annual report for 1969-70.
- Gasoline contamination of ground water in the vicinity of Forest Lawn, Glendale.
- 4. Review Watermaster's "Policies and Procedures".

As a result of this meeting, the policies and procedures were revised and new procedures dated January 4, 1971 were filed with the Court and parties.

The February 3 meeting was convened to review the draft of the 1969-70 annual report, the 1971-72 budget, and the final print of the policies and procedures for watermaster service.

On February 9, 1971, a major earthquake occurred in the vicinity of Sylmar Basin. As a result, a state of emergency was created for the Cities of San Fernando and Los Angeles with regard to their water and sewer system. The Watermaster made a field inspection of the damaged area and subsequently called a special meeting of the Advisory Board on February 25. The purpose of the meeting was to report the extent of damages sustained by the parties as a result of the earthquake. This meeting set the stage for approval of a special stipulated agreement which would assist the City of Los Angeles during the emergency. These items and earthquake effects on watermaster service are discussed in subsequent chapters of this report.

II. WATER SUPPLY CONDITIONS

The Upper Los Angeles River Area depends upon many sources of water to meet demands brought on by a fast growth in industry and a continuing population increase. At present, the water supply to ULARA consists of: precipitation on the watershed which includes portions of the San Gabriel, Santa Monica, Verdugo, and Santa Susana Mountains; ground water that is in storage within the four basins; imports from the Mono Basin-Owens River system; and imports from the Colorado River. Soon water from Northern California will be made available through the facilities of the State Water Project.

Precipitation

The Upper Ios Angeles River Area has the climate of an interior coastal valley and is hotter in the summer and wetter in the winter than the coastal areas which have a Mediterranean type climate.

Precipitation varies considerably throughout ULARA, depending on the topography and the elevation. Mean seasonal precipitation varies from about 14 inches at the western end of the San Fernando Valley to 35 inches in the San Gabriel Mountains. On the average, approximately 80 percent of the annual rainfall occurs in the four winter months of December through March.

Quantities of precipitation on the valley floor and on the hill and mountain areas are evaluated separately. The valley floor is made up of the four ground water basins, whereas the hill and mountain areas comprise the remaining areas in ULARA. Precipitation on the hill and mountain areas is evaluated to relate the

runoff from the watersheds of Big Tujunga, Pacoima Creek, and Sycamore Canyon, with the runoff records which are included in this report and also to evaluate the ground water recharge. See Plate 2 for location of precipitation stations.

The 1970-71 water year experienced a slightly below average rainfall. In the San Gabriel Mountains, some stations received as little as 75 percent of normal. On the average, about 15.57 inches of rain fell on the valley floor, whereas the mountain areas received approximately 19.33 inches of rainfall. The 29-year (1929-1957) average precipitation for the valley floor and mountain areas are 16.82 and 21.50 inches, respectively.


Table 1 presents a record of rainfall at 22 key precipitation stations which were used to develop the 29-year average rainfall and are described in the Report of Referee.

TABLE 1. PRECIPITATION a/ In inches

	Station			1970	
LACFC District : Number :	Nazve			: Precipi - : tation	
12	Frenklin Jenyon .	18.71	16.52	15.16	81
13B	North Hollywoodb	16.90	9,40	15,55	92
140	Roshor-Megrali	14.61	8.76	15.39	105
15B	Ven Mysb	15.20	10.72	14.97	385
17	Sepulveda Camyon	19.22	9.79	19.35	101
23E	Chatsworth Reservoir	14.12	10.59	15.43	109
25C	Northridge-Andrewsb	14.59	10.81	14.58	100
29D	Granade Pump Plant	17.10	12.90	16.3t	9
30B	Sylmar ²	15.70	12.30	17.32	104
33A	Pe Dime Dam	18.94	14.59	19.00	103
47D	Clear Creek "ity School	32.41	17.69	27.09	84
53D	Colby's Ranch	30.13	16.89	22.58	75
54C	Loomis Ranch-Alder Treek	20.90	13,13	15.04	72
210B	Brand Park b/	19.15	11.32	16.94	88
2510	La Crescenta	23.14	12.43	19.97	844
2590	Chetsworth Petr 1	17.77	12.21	16.68	94
295G	Glendaleb	17.93	9.72	13.75	
304	Haines 'anyon-Lower		14.20		1665
471	Tojuras-Mill Treek	17.63	11.30	12.99	74
705	Paradise Rapph-Alder Trees	26.70		18.30	88
1051B	Canoga ParkD	14.38		17.80	124
1074	Little Glesson-	24.48	23.74	20.03	82

a Data furnished by Los Angeles Younty Flood ontri District. b'Valley Station. 7/ Substituted for Pents There Ridge tation No. 419.





Runoff and Outflow from ULARA

The drainage area of ULARA contains 329,137 acres of which 205,709 acres are hill and mountain areas. The drainage system in turn is made up of the Los Angeles River and its tributaries. The surface flow in the spring originates as: storm runoff from the hill and mountain areas; storm runoff from the impervious areas of the valley floor; operational spills of imported water; industrial and sanitary waste discharge; and rising water.

Urbanization of the area has rapidly increased the flow discharge rates in much of ULARA and as such it is important to keep abreast of these changes to nature and its effect on the ground water basins.

A number of stream gaging stations are maintained throughout ULARA either by the LACFCD or the USGS. The Watermaster has selected six key gaging stations which in effect record major runoff from the hydrologic areas within ULARA.

The records presented herein will keep the parties informed as to the magnitude of runoff from these various areas. The stations selected for this purpose are:

Station 57C; registers all surface outflow from ULARA.

Station 118B; registers all releases from Pacoima Dam which originate in Pacoima Canyon. Runoff below this point flows to the Lopez and Pacoima Spreading Grounds and on down to the Los Angeles River.

Station 168; registers all releases from Big Tujunga Dam which collects runoff from Tujunga Canyon northeasterly of the dam. Runoff below this point flows to Hansen Dam.

Station 252; registers flow from Verdugo Canyon plus flows from Haines, Dunsmuir, and Pickens Canyons.

Station E-285; registers flow from the westerly slopes of Verdugo Mountains and some flow east of Lankershim Boulevard. It also records any releases of reclaimed waste water discharged by the City of Burbank.

Station 300; registers all flow west of Lankershim Boulevard plus outflow from Hansen Dam that is not spread. These records also include releases from Sepulveda Dam, which may include extractions from Reseda wells.

The location of these key gaging stations are shown on Plate 2. The mean daily discharge rates for these six gaging stations during 1970-71 are summarized in Appendix C. In addition, Table 2 summarizes the monthly flows for each of the gaging stations and compares the 1970-71 water year with the 1969-70 water year which was a very dry year as evidenced by the runoff quantities.

The February 9 earthquake made its mark on runoff and outflow from ULARA. Following the earthquake, an assessment of the damages to the upper and lower Van Norman Dams prompted the City of Los Angeles to take immediate steps to increase normal outflow from both reservoirs. Water was spilled at a variety of places into flood control channels, the Los Angeles River and the Tujunga Spreading Grounds. In addition, water was transferred to other storage locations in the vicinity of the San Fernando Valley.

TABLE 2. MONTHLY RUNOFF AT SELECTED GAGING STATIONS.

In acre-feet

	Water :					Мо	nth						:	
Station	Year :	Oct.	Nov.	: Dec.	: Jan.	Feb.	: March	: Apr.	: May	: June	: July	: Aug.	: Sept.:	Total
57C-R	1969-70	993	6280	1020	6010	14790	13090	1060	824	1000	750	1070	635	47520
(Los Angeles River)	1970-71	1090	35060	26420	3160	6110	7070	3290	2660	1860	4080	1380	1130	93310
E252-R	1969-70	300	339	196	486	1400	1360	231	264	407	501	427	180	6090
(Verdugo Channel)	1970-71	276	2800	1980	450	171	462	274	232	243	302	259	237	7690
285-R	1969-70	438	696	455	682	981	1130	399	44 <u>1</u>	471	479	457	456	7080
(Burbank Storm Drain)	1970-71	406	2410	1730	769	748	648	569	464	379	277	365	432	9200
300-R	1969-70	771	6850	970	4230	11240	10160	928	1160	1020	964	918	869	40080
(L. A. River at Tujunga Ave.)	1970-71	639	24340	20350	2500	5750	6580	2600	1520	1260	1020	1340	1190	69090
168-R	1969-70	624	918	844	920	1030	4490	1340	685	388	165	112	103	11620
(Big Tujunga Dam)	1970-71	188	790	3574	1978	1302	1257	215	4 31	435	467	628	492	11760
118B-R	1969-70	9	3	12	20	165	379	201	213	222	998	47	41	2310
(Pacoima Dam)	1970-71	32	27	1230	123	1200	932	429	309	529	61	61	60	4990

3/ Figures shown are rounded off; for details see Appendix C

The U.S. Corps of Engineers provided ll pumps which pumped directly from lower Van Norman Reservoir to Bull Creek flood control channel. Additional water was spilled into Bull Creek by four 12-inch emergency taps from the 78-inch outlet line. Water from the upper Van Norman Reservoir was released into Bull Creek by means of two 24-inch holes which were cut in the 99-inch bypass pipeline.

Water released to the flood control channels were recorded at Station F-300. A major portion of the water released in the months of February, March, and April was recorded as outflow at Station F-57C.

In addition to releases from the Van Norman complex, the Los Angeles County Flood Control District likewise initiated steps to lower the water surface behind Pacoima Dam as well as Hansen Dam. Except for the water that was spread at Pacoima and Hansen Dams, the water that bypassed these areas was recorded at Station F-300 and in some instances, at Station F-57C as outflow.

At the request of the Advisory Board, the Watermaster has attempted to separate the surface flow of the Los Angeles River at gaging station F-57C as to the sources, i.e., storm runoff from precipitation, Owens River water, rising water, and industrial and reclaimed waste water discharges. The Watermaster utilized the procedures outlined in the Report of Referee for estimating the approximate flow rates and sources of water passing gaging station F-57C. Table 3 is a summary of that study.

Table 3. SEPARATION OF SURFACE FLOW AT STATION F-57C

Period	: Base low : Rising : Water		Surface : : Owens e: River	: Net	:	Total measured outflow
1969-70 1970-71 29-year average 1929-57	4,180 _a / 2,556 <u>a</u> / 6,810	6,565 8,856 770	0 12,978 1,580	36,775 68,920 30,790		47,520 93,310 39,940

a/ Rising water from Verdugo to San Fernando Basin amounted to 2,881 acre-feet.

Ground Water Recharge

Local precipitation can have a marked influence on the ground water supply and water in storage. However, there is a wide variation in the annual amount of runoff as a result of changes in both precipitation and retentive characteristics of the watershed.

The accelerated urban development in ULARA has resulted in much of the rainfall being collected and routed into paved channels which discharge into the Los Angeles River and subsequently is carried out of the basin. Plate 2 depicts the lined channels within ULARA.

To somewhat overcome the rapid outflow due to urbanization, Pacoima Dam and Hansen Dam, originally built for flood protection, are currently being utilized to regulate storm flows for the purpose of recapturing the flow in spreading basins operated by the Los Angeles County Flood Control District (LACFCD) as well as the City of Los Angeles.

The LACFCD operates four spreading basins: Branford, Hansen, Lopez, and Pacoima Spreading Grounds. The City of Los Angeles, in turn, operates the Tujunga and Headworks Spreading Grounds. Plate 2 shows the location of these spreading basins. spreading grounds operated by the LACFCD are utilized for spreading native water, whereas the spreading grounds operated by the City of Los Angeles are utilized to spread Owens River and native water, spillage from the Chatsworth Reservoir, ground water effluent, and the discharge from the Reseda wells. Table 4 summarizes the spreading operations for the 1970-71 water year.

There was a sharp increase in the amount spread following the earth-quake of February 9. Wherever possible, water released from the various dams was spread. The Watermaster inspected and evaluated the City of Ios Angeles' spreading operation of Owens River water. The evaluation is covered in Chapter IV of this report.

TABLE 4. SPREADING OPERATIONS
In acre-feet

		Native wa	ter spread	d by Los	Angeles			y City of Los A					
Month			Flood Con		trict	Tujunga Spread	Tujunga Spreading Grounds Headworks Spreading						
		Spreading Basins					Releases from		Ground water				
		Branford	Hanaen	Hanaen	Hanaen	Hanaen	Hanaen	Hanaen	Lopez	Pacoima	Native water	Owens River water	Van Norman Reservoir
Oct.	1970	6	0	0	0	0	0	0	108	292			
Nov.	- '	229	0	0	400	0	0	0	90	243			
Dec.		87	6413	0	1448	0	0	0	0	332			
Jan.	1971	45	1477	0	106	0	0	0	2	822			
Feb.		43	1067	23	1076	0	399	0	0	400			
Mar.		35	2273	304	673	0	0	570	1	917			
Apr.		23	0	274	56	0	0	108	0	570			
May		22	0	126	18	0	0	0	3	77			
June		4	427	0	272	0	0	0	0	298			
July		9	Ó	0	0	0	0	0	0	12			
Aug.		4	0	0	0	0	0	0	177	788			
Sept.		_+	0		0	<u>o</u>	_0	_0	188	806			
Total	.s	507	11657	727	4049	0	399 ^b /	678 <u>b</u> /	569	5,557			

a/ Includes industrial discharge, ground water effluent, and surface runoff diverted from Los Angelea River to Headworks Spreading Grounds.

b/ Credited to the City of Los Angeles in accordance with the provisions of the "Stipulation for Emergency Spreading and Extraction."

Ground Water Table Elevations

During the 1970-71 water year, the Watermaster collected and processed data to determine prevailing ground water conditions in ULARA. The Watermaster collected ground water level contour maps from the Los Angeles County Flood Control District and the City of Los Angeles in order to present the ground water table elevations for the spring and fall of 1971 and the change between the fall of 1970 and fall of 1971.

Ground water conditions during the spring and fall of 1971 are depicted by Plates 3 and 4, respectively. Data for lines of equal ground water elevation for Sylmar, Chatsworth, and Santa Monica Foothills were obtained from the City of Los Angeles. Data for the remaining area was obtained from the LACFCD.

Change in ground water elevation from fall of 1970 to fall of 1971 as presented in Plate 5 indicates the effects of spreading and ground water extractions. The areas around Hansen and Tujunga spreading basins show a drop of water levels as expected. A curtailment of ground water extractions is shown as a rise in water levels in and around the City of Los Angeles' Pollock wells which in recent years have dropped in production by 5,000 acre-feet; the City's Headworks and North Hollywood wells which dropped by 3,600 and 9,000 acre-feet, respectively; the City's Reseda wells which dropped by 1,100 acre-feet; and finally, the City's Mission wells which decreased slightly and the City of San Fernando wells which decreased by 2,000 acre-feet due to inoperative water systems and wells following the February 9 earthquake.

In addition to the plates, Figures 1 and 2 depict the water levels at key wells located within ULARA. Plate 2 shows the location of key wells.

Waste Water Reclamation

The reclamation of waste water can provide a relatively economical source of water for irrigation, industrial, recreational, and ultimately, domestic use. Four waste water treatment plants are in operation in ULARA, and two are in the beginning stages of construction. See Plate 2 for locations. A tabulation of the operating waste water reclamation plants is shown in Table 5.

The Los Angeles-Glendale Waste Water Reclamation Plant project is scheduled for bid opening on or about February 1, 1972; a start of construction date of April 15, 1972; and an on-line date of spring of 1974 at which time it will provide 12.5 mgd of treated effluent to Griffith Park for irrigation and 2.5 mgd to the City of Glendale for cooling water for its steam plant.

The Sepulveda Basin Water Reclamation Plant is currently under contract with preliminary grading completed January ll, 1972. The portion being constructed is the first of five modules of 40 mgd each and is scheduled to go on-line May 1974. At that time, it will provide treated effluent to the Sepulveda Basin Recreation Area for Irrigation.

TABLE 5. WASTE WATER RECLAMATION PLANTS

	Plant	Quantity treated, in acre-feet
	San Fernando Basin City of Burbank City of Los Angeles Valley Settling Basins Indian Hills Mobile Homes	5540ª/ 525 <u>b</u> / 15c/
	Verdugo Basin Crescenta Valley County	
i	Water District	107 <u>c</u> /
	Crescenta Valley County	

a/ Cooling towers used 2,092 acre-feet, balance to Los Angeles River.


b/ Applied 12 acre-feet to irrigation, balance to city sewer.


c/ Used for land irrigation.

















Figure 1.—FLUCTUATION OF WATER LEVEL ELEVATION AT WELLS
IN THE SAN FERNANDO BASIN




Figure 2.— FLUCTUATION OF WATER LEVEL ELEVATION AT WELLS IN THE SAN FERNANDO, SYLMAR AND VERDUGO BASINS

Water Quality

During the 1970-71 water year, progress was made toward abating gasoline pollution near Forest Lawn Cemetery. The history of this major water quality problem was described in the 1968-69 and 1969-70 Watermaster reports.

The Western Oil and Gas Association (WOGA) has continued its efforts to abate the pollution. The California Regional Water Quality Control Board, Los Angeles Region, and the State Water Resources Control Board are exercising leading roles to insure effective and expeditious abatement. The Department of Water Resources has advised the Boards regarding the technical aspects of abatement. The City of Los Angeles Department of Water and Power (LADWP) and WOGA have maintained an effective monitoring program in the area of gasoline pollution.

As of November 1, 1971, WOGA has:
(1) improved on monitoring of the areal extent and depth of free gasoline, and of the presence of taste and odor in ground water; (2) continued pumping of water from several sink wells to prevent the spread of free gasoline; (3) continued removal of gasoline from skimmer-pump wells; and (4) will attempt to remove all traces of residual gasoline taste and odor in the ground water basin.

Traces of free floating gasoline (less than 1.0 inch) are still evident at Wells W-26, W-50, and W-63 in the San Fernando field, at Wells W-52 and W-53 in the Rosslyn field, and at W-3 and W-4 in the Cox field. Free gasoline has seldom been detected at the Newman field during the past year. Gasoline odors are still present in the Newman, Cox, and Rosslyn fields; at Wells F-2, 3, 4, and 6; and at W-42, 45, and 54 along San Fernando Road (Figure 3.)

Because of the decline in water levels in the gasoline-polluted area, pumping rates at the Cox, Rosslyn, and San Fernando fields have been reduced to the following levels, as of late September 1971:

	Field	Well No	2.		Rate	e, in g	pm
Cox		W-3				35.0	
		W-4				14.3	
		W-47				11.5	
Ross	slyn	W-52			•	60.0	
San	Fernando	W-50				13.8	
		W-63				44.0	


Wells W-37 and W-58 are pumped occasionally at about 53 and 106 gpm, respectively, to keep them on a standby basis.


Gasoline recovery has decreased considerably since October 1970. Free gasoline removed from November 1970 through October 1971 was 1,291 gallons. Including an additional 70% to account for dissolved gasoline, and losses by evaporation or aeration, total removal of gasoline would be about 2,200 gallons.


According to WOGA, the total removal of free and dissolved gasoline since the start of the cleanup program has been about 44,000 gallons through October 25, 1971.

WOGA reports that almost all removable free gasoline has been removed, and pellicular gasoline retained by the sediments is being biodegraded by Pseudomonas and Arthrobacter bacteria. WOGA is monitoring bacterial densities as cleanup progresses.

1/ Western Oil and Gas Association, Los Angeles, California. "Progress Report to Los Angeles Regional Water Quality Control Board on Amelioration of Ground Water Contamination by Gasoline near San Fernando Road in Glendale and Los Angeles". Unpublished Report.
November 1971.







Water delivered for use in ULARA is either imported water, local ground water, local surface diversions, or a mixture, depending on the area and water system operation. During the 1970-71 water year, water purveyors in ULARA served approximately 345,800 acre-feet of water to their customers. Of this total approximately 96,600 acre-feet were extracted and the remaining 249,200 acre-feet were imported. The basin contains 579 wells of which 180 are active, and 399 are inactive. During 1970-71, 13 were drilled and 10 were destroyed.

The adjudication of ground water rights in ULARA restricted all ground water extractions effective October 1, 1968. On that date, ground water extractions were restricted to approximately 104,000 acre-feet per water year. This amounted to a reduction of approximately 50,000 acre-feet below the previous 6 years average.

Under the Judgment no determination was made regarding overdraft or surplus in the Eagle Rock Basin. Therefore, no restrictions on ground water extractions are imposed on the Eagle Rock Basin.

Except for Sparkletts Drinking Water Corporation and Deep Rock Artesian Water Company, there are no parties to the Judgment that extract water from Eagle Rock Basin. The safe yield of the basin, under 1964-65 conditions, was set at 70 acre-feet.

The restriction on ground water extractions together with the slightly below average rainfall and the deactivated San Fernando wells damaged by the earthquake, has resulted in a record (second to last year's) importation of water to ULARA.

Figure 4 graphically illustrates the

annual ground water extractions and total water imported to ULARA beginning with 1944-45 water year. Note the change during years 1968-69 through 1970-71.

It can also be noted that for the 10 years before "Restricted Pumping", imports exceeded extractions by 50,000 to 60,000 acre-feet per year and that for the three water years 1968-69-1970-71, the difference jumped to between 120,000 to 142,000 acre-feet. Due to restricted pumping in ULARA, any substantial increase in water demand in the future will show in an increase of imports only.

Figure 5 provides another graphical analysis of the monthly relationship between rainfall, ground water extractions, and imported supply. This graph is representative of the entire ULARA and not a specific ground water basin within ULARA. The precipitation values were obtained from those stations that are located on the valley floor. (See Table 1.)

Ground Water Extractions

By letter dated April 26, 1968, the Watermaster informed all parties that were known to be active, that ground water extractions within ULARA would be reduced and controlled by the Watermaster in accordance with the Judgment. The ULARA Judgment limits the amount of ground water each party can extract annually from each of the separate basins to an amount referred to as "Restricted Pumping".

Table 6 presents a balance sheet which summarizes each party's water account by listing its "Restricted Pumping" (see Appendix A for any changes); allowable carryover from 1969-70; any additional allowable pumping as

TABLE 6. RESTRICTED PUMPING AND QUANTITIES EXTRACTED AND ASSIGNED In acre-feet

		ili ac	16-1661				
Party		(2) : Allowable : carryover : from : 1969-70 :	Assign- ments in Restricted	: (4) : : Alloweble : : extrection : : 1970-71 : :(1) [†] (2) [‡] (3)=4:		(6) Bslance: (4)-(5)=(6):	(7) Alloweble cerryover into 1971-72
SAN FERNANDO BASIN							
Bartholomaus, William O. Burbank, City of California Materials Company Consolidated Rock	15.00 13,649.00 0.00	0.00 + 2.67 0.00	- 15.00 + 181.00 + 350.00	0.00 13,832.67 350.00	0.00 13,820.62 273.66	0.00 12.05 76.34c/	0.00 12.05 0.00
Products Company Forest Lawn Memorial Park Assoc.	0.00 814.00	0.00 + 16.24	+1600.00 - 182.00	1,600.00 648.24	1,396.10 588.18	203.90 ^{<u>e</u>/ 60.06}	0.00 60.06
Glendale, City of Harper, Cecilia DeMille Livingaton-Graham, Inc. Lockheed Aircraft Corporation Los Angeles, City of (Pursuant to "Stipulation for Emergence	12,405.00 0.00 0.00 239.00 63,257.00 y Spreading and	+ 385.26 - 6.69 0.00 0.00 -6,581.37 Extraction'')	0.00 + 45.00 _b / + 550.00 <u>b</u> / - 239.00 _b /	12,790.26 38.31 550.00 0.00 51,875.63 1,077.00 £/	12,601.41 12.16 669.37 0.00 51,875.63 ^d 2,055.92	188.85 26.15 - 119.37°/ 0.00 0.00 - 978.92	188.85 4.50 0.00 0.00 226.60 978.92
McCabe, Celeste Louise Mena, John and Barbara Monteria Lake Association Riverwood Ranch Mutual Water Co. Seara, Roebuck and Company	1.00 0.00 0.00 0.00 0.00	+ 0.10 - 1.92 - 13.46 - 5.87 0.00	0.00 0.00 0.00 + 32.00 + 400.00	1.10 - 1.92 - 13.46 26.13 400.00	0.00 0.96 0.00 14.33 259.60	1.10 - 2.88 - 13.46 11.80 140.40	0.10 - 2.88 - 13.46 3.20 0.00
Southern Service Company, Ltd. Sportsmen's Lodge, Inc. Toluca Lake Property Owners'	0.00	- 44.37 - 30.83h/	+ 130.00 + 38.00	85.63 7.17	85.93 19.16	- 0.30 - 11.99	- 0.30 - 11.99
Association U.S. Mortgage Velhalla Memorial Park	23.00 0.00 184.00	- 6.90 + 1.68 + 17.83	+ 15.00 0.00 + 20.00	31.10 1.68 221.83	30.28 0.03 218.94	0.82 1.65 2.89	0.82 0.00 2.89
Van de Kamp's Holland Dutch Bakers, Inc. Walt Disney Productions	93.00 0.00	+ 6.50 0.00	- 25.00 +1900.00	74.50 1,900.00	38.83 1,974.67	35.67 - 74.67°	6.80 0.00
Subtotals	90,680.00	-6,261.13	0.00	85,495.87	-85,935.78	- 439.91	- 501.68
SYLMAR BASIN							
Brown, Charles T. Church of Jesus Christ of the	0.00	- 12.30	+ 20.00	7.70	12.12	- 4.42	- 4.42
Latter Day Saints Fidelity Federal Savings and Loan Association	609.00	- 591.71 + 60.90	0.00	- 591.71 649.90 2,636.28	212.81 22.05 2,645.35	- 804.52 627.85 - 9.07	- 804.52 58.90 - 9.07
Los Angeles, City of Moordigian, Kisag	2,818.00	- 181.72±/ + 0.60	- 40.00	6.60	0.00	6.60	0.60 1.526.06 k/
San Fernando, City of Subtotals	6,210.00	- 724.23	+ 40.00 0.00	2,777.00 5,485.77	1,250.94 -4,143.27	1526.06 1342.50	767.55
VERDUGO BASIN							
Crescenta Valley County Water District Glendale, City of	3,294.00 3,856.00	- 39.11 + 385.60	0.00	3,254.89 4,241.60	3,027.44 3,449.15	227.45 792.45	227.45 385.60
Subtotals	7,150.00	+ 346.49	0.00	7,496.49	-6,476.59	1019.90	613.05
ULARA TOTALS	104,040.00	<u>-6,638.87</u>	0.00	98,478.13 ^d	-96,555.64	1,922.49	878.92

a/ Refer to Table 10 and Appendix A for information concerning assignments of "Restricted Pumping" or prior ownership.
b/ Reduction in City of Los Angeles extraction pursuant to separate Stipulated Judgment.

c/ Reverts to City of Los Angeles as a carryover.

e/ Includes year-end balance of parties to Stipulated Judgments.
f/ Credit for spreading imported water pursuant to "Stipulation for Emergency Spreading and Extraction".

d/ Excludes extractions from Rescale Wells which totaled 569.16 acre-feet and overextractions totaling 2,055.92 acre-feet.

g/ Amount to be returned to basin by spreading imported water or foregoing right to extract water or by combination of both.

b/ Last year's carryover was corrected to reflect revisions of ground water extractions in 1968-69 (28.61 acre-feet)
and 1969-70 (26.22 acre-feet).

^{1/} Last year's carryover was corrected to reflect separate accounting of Physical Solution - Sylmar Basin.
k/ Allowable carryover by special Watermaster authorization. Amount to be extracted in following three years. See Chapter IV of this report for details.

the results of a water right assignment; amount of ground water extracted during the 1970-71 water year; and the amount that can be carried forward to the succeeding water year.

In order to provide flexibility in the control of ground water extractions, the Judgment contains various provisions which allow parties to carry over into the succeeding water year a portion of their unused water right and, in some cases, to overextract. This flexibility clause was provided to assist the parties in meeting unforseen emergencies in water demands. One provision allows parties to carry over from one water year to another any unused "Restricted Pumping" up to an amount not to exceed 10 percent of their "Restricted Pumping".

The flexibility clause also allows parties to overextract up to an amount equal to 10 percent of their "Restricted Pumping". However, any overextraction will be deducted from the "Restricted Pumping" in the succeeding water year. Chapter IV contains additional information on this provision.

In addition to the flexibility clause, the City of San Fernando is allowed, by the Judgment, to exceed its assigned "Restricted Pumping" in Sylmar Basin. The additional allowance for the City of San Fernando is described in the Judgment as "Physical Solution-Sylmar Basin". This provision allows the City of San Fernando to extract up to 850 acre-feet of water per year in addition to the amount that it has received under its "Restricted Pumping". If the City of San Fernando takes, diverts, or extracts water in addition to its "Restricted Pumping", it must immediately notify the City of Los Angeles and the Watermaster in writing, and the City of Los Angeles must reduce its extractions in an amount equal to the amount that the City of San Fernando has exceeded its rights. Chapter IV describes the 1970-71 operation.

The Judgment, in Section IV, also allows various parties to divert and extract water from the San Fernando Basin in accordance with the terms and conditions of the stipulated Judgments between the City of Los Angeles and said parties (Case No. 650,079). The City of Los Angeles, in turn, shall deduct from its "Restricted Pumping" for each year, the aggregate amount of water extracted pursuant to the separate stipulated Judgments.

At the commencement of each water year, the City of Los Angeles advises the Watermaster of the estimated amount of water each party to the stipulated Judgments will pump during the water year (see Appendix A). The City then reduces its extractions in the San Fernando Basin in an amount equal to the estimates. For each subsequent year, the City of Los Angeles will reduce its extractions by the amount of water that said stipulated parties' extractions exceeded the estimates for the preceding year. Should the stipulated parties' extractions be less than the estimate for that year, the City of Los Angeles may increase its extractions by that amount in the next succeeding year.

The February 9th Earthquake resulted in such heavy damage to the City of San Fernando's water facilities and the City of Los Angeles' terminal storage complex at Van Norman Reservoir, that changes in allowable ground water extractions for these two parties were required. As a result, the City of Los Angeles will be allowed to exceed its "Restricted Pumping" in the San Fernando Basin pursuant to the "Stipulation for Emergency Spreading and Extraction" which is reproduced in Appendix A. Table 6 shows a separate accounting of this item. The City of San Fernando, in turn, will be allowed to extract the unused 1970-71 water right balance of 1,526.06 acre-feet in the ensuing three water years.

A further explanation of this authorization is discussed in Chapter IV.

The metered ground water production from each active well is listed by basin and by party in Appendix B, Table B-1. This tabulation presents the total ground water production as reported by each party. Plates 6 and 7 depict the service area wherein each party delivers its water supply.

Extractions by Nonparties

In order to keep the parties and the Court apprised of all the ground water extractions within ULARA, the Watermaster has attempted to seek and collect information on nonparty ground water extractions. A nonparty is an entity which was not named in the ULARA water right suit. These nonparties and parties which were dismissed by the court do not come under the jurisdiction of the Watermaster.

To the best of the Watermaster's knowledge, and information on hand, the Western Oil and Gas Association and The Metropolitan Water District of Southern California are the only nonparties extracting ground water within ULARA. The Watermaster has approved these operations which are necessary for the control of gasoline pollution at Forest Lawn and the construction of the San Fernando Tunnel of the MWD Foothill Feeder.

No report on ground water extractions is made as to the parties dismissed from the action: Glenhaven Memorial Park, Incorporated; Los Angeles County Waterworks District No. 21, etc., which are still active pumpers in the hill and mountain areas of ULARA.

Ground water extracted by The Metropolitan Water District of Southern California (MWD) and Western Oil and Gas Association is shown in Table 7.

TABLE 7. EXTRACTIONS BY NONPARTIES

	Metropoliten	Weste	rn Oil and G		tion	
Month	Water District	Cox	Neveran :	Spac+6	: SF-4	Total
October 1970	4.51	17,63	1.06	16.59	0.00	35.28
November	4.76	5.73	0,28	6.03	13.60	25.64
December	5.43	0.15	0.03	0.00	20.50	20,68
Jamery 1971	8.93	3.96	0.00	0.00	23.04	27.00
February	55.68	6.33	1.92	0.00	19.30	27.55
Merch	177.46	13.65	0.12	0.60	22.50	36.87
April	105,93	11.19	17.58	0.42	5,15	34.34
May	81.79	16.33	15.34	1.20	7.84	40.71
June	72.25	9.96	14.23	0.24	4.50	28.93
July	65.07	15.15	1.01	0.00	1.79	17.95
August	60.48	17.56	0.97	0,00	0.00	18.53
September	49.98	14.27	1.02	1.67	0.49	17.45
Totals	692.27	131.91	53,56	26.75	118.71	330.93

Water Wells in ULARA

The Report of Referee described the wells in ULARA according to a numberlocation identification system devised by the Los Angeles County Flood Control District. However, the Watermaster has redesignated the wells in accordance with its recording system. Each water well in ULARA was assigned a state well number in order to simplify the administration of the Judgment and the monitoring of ground water extractions. A cross-index between State well numbers and County numbers should be completed by March 1972. At that time, it will be made available to all interested parties.

A state well numbering system was adopted by the State several years ago which utilizes the United States Public Land Survey System. A graphical illustration and description of the coding system in ULARA is shown in Figure 6.

Plate 2 on page 9 records all wells (party and nonparty) in ULARA in accordance with the above procedure. Wells drilled or destroyed in 1970-71 are listed in Appendix D.

As a matter of course, the Watermaster locates all new wells by survey and assigns a new state well number. The parties that submit detailed information as to the location of the well will preclude the Watermaster's


requirement for a survey. If the well is suspected of being abandoned or destroyed, the Watermaster will attempt to tag the well, requesting that the owner inform the Watermaster of his intentions. In this manner, the owner may be informed of the proper methods of destroying the well. Each party is required to notify the Watermaster whenever a new well is drilled.

The City of San Fernando suffered extensive damage to its water system due to the February 9 earthquake. Of their seven wells one was completely destroyed, two had to be capped, and four are still operating. The destroyed well, (well No. 7) has since been replaced by well No. 7A which was drilled by the U.S. Corps of Engineers under Public Law 91-606.

State well numbers that identify each water well in ULARA are derived from a system based on the U.S. Public Land Survey. Each number consists of township and range designation, a section number, a letter representing the 40-acre tract in which the well is situated, a sequence number indicating the chronological order in which the well number was assigned, and a letter

representing the base and meridian. The last letter is frequently omitted from well numbers in a single area because all wells there share a single base and meridian. Well numbers are assigned by the Watermaster.

The components of well No. 1N/14W-12CO3S, for example, are identified in the following breakdown:



The derivation of the components is illustrated below:








Figure 6. SYSTEM FOR WATER WELL IDENTIFICATION









Imports and Exports of Water

Residential, commercial, and industrial expansion within the ULARA requires the importation of additional water supplies to supplement that which is provided by the ground water basins. The City of Los Angeles and the Metropolitan Water District of Southern California (MWD) have kept abreast of this demand by continuing to expand their facilities for the importation of water.

The City of Los Angeles now has a second aqueduct capable of bringing in an additional supply of Owens River and Mono Basin water at the rate of more than 130 million gallons a day.

In addition to the City's aqueducts, the Colorado River aqueduct constructed by MWD, delivers water to the Cities of Burbank, Glendale, and Los Angeles. Also, during the 1970-71 water year, MWD delivered Colorado River water to the City of San Fernando on an emergency basis, due to the damage sustained by San Fernando's water system and wells during the February 9, 1971, earthquake. On November 9, 1971, by unanimous approval of a resolution by the Board of Directors of MWD, the City of San Fernando became a member agency of MWD. Thus, San Fernando can now obtain supplemental water on a permanent basis from MWD supplies and participate in all programs for future development and distribution of such water.

The Crescenta Valley County Water District and La Canada Irrigation District also import Colorado River water through the facilities of the Foothill Municipal Water District, which is a member agency of MWD.

State Water Project water from northern California will be delivered to MWD at Castaic Reservoir through the

MWD Foothill Feeder to the Joseph Jensen Water Filtration Plant in ULARA on or about April 1, 1972.

The date for initial delivery was set back because of the damage sustained by the nearly completed Filtration Plant during the February earthquake.

Exports from ULARA, exclusive of sewage, are limited to the City of Los Angeles, which exports water consisting of imported water and ground water. Table 8 summarizes the nontributary imports and exports from ULARA. Ground water imports and exports within and out of ULARA are listed in Table 9:

Facilities for importing nontributary water are depicted on Plate 6, page 31.

Physical Data by Basins

In order to comply with the Court's directive, the Watermaster has collected and summarized data on Table 9 which show the water supply and disposal in each of the basins.

The information for Table 9 was submitted by the parties. In instances where estimates were made, such as water delivered to hill and mountain areas, sewage exported, etc., estimates were made by the parties and based upon methods consistent with previous estimates computed by the State Water Resources Control Board (SWRCB) for the San Fernando Velley Reference. The Watermaster likewise made computations of subsurface outflows based on similar computations made by the SWRCB.

Some of the figures submitted for Table 9 are partially estimated due to the lack of information at the time of submittal. However, the actual figures based on measured values are subsequently submitted to the Watermaster for its permanent record file. The revised data is available at your request from the Watermaster.

Table 8. ULARA IMPORTS AND EXPORTS

Source and Agency	: Quant:	
Source and Agency	: 1969-70	: 1970-71
IMPORTS Colorado River Water		
Burbank, City of Crescenta Valley County Water District Glendale, City of Los Angeles, City of La Canada Irrigation District	13,223 1,243 10,640 10,190 859	12,293 1,409 10,075 7,922
Las Virgenes Municipal Water District (nonparty) San Fernando, City of	735 0 36,890	687 484 33,607
Owens River Water		
Los Angeles, City of	390,259	<u>486,996</u> b
Total	427,149	520,603
EXPORTS		
Owens River Water		
Los Angeles, City of	<u>-166,638</u>	<u>-271,359</u>
Net Import	260,50	7 249,244

 $[\]underline{a}$ Last year's figure was updated. \underline{b} This value represents the summation of the gross amount of water delivered to and exported from ULARA. It does not include operational releases, reservoir evaporation, and water spread during the year.

TABLE 9. SUMMARY OF WATER SUPPLY AND DISPOSAL BY BASINS In acre-feet

SAN FERNANDO BASIN

Water source and use	: City of : Burbank	: City of : Glendale	: City of : Los Angeles	: City of : San Fernando	: All others	: Total
Extractions						
Total quantity	13,821	12,601	53.932	0	5,913. ,	86,267
Used in Valley Fill	13,214	7,131	53,932 <u>8</u> / 8,120	0	5,5825/	34,051
Imports						
Colorado River Water	12,293	6,535	4,867	484	687	24,866
Owens River Water			478,531			478,535
Ground water from Sylmar Basin			2,645	1,138	0	3,783
Exports						
Ground water:						
to Verdugo Basin		4,672	0		0	4,672 48,517
Out of ULARA			48,457		0	40,517
Owens River Water:			271,355			271,359
Out of ULARA			1,037		0	1,037
to Eagle Rock Basin Colorado River:			1,037			-,051
to Verdugo Basin		3,540	0		0	3,540
Water delivered to hill and mountain areas						
	(05	700	^	0	0	1,405
Ground water	607	798	0 31,752	0		31,752
Owens River Water Colorado River Water	540	776	2,316	==	687	4,319
Water outflow						
Surface						93,310 [©] 248 103,281
Subsurface	d/				_	248
Sewers	11 , 777 ^{<u>d</u>/}	17,256	73,110	1,138	0	103,281

SYLMAR BASIN

	31 - 1117	W DV31M		
Water source : and use :	City of Los Angeles	: City of : San Fernando	: All others	: Total
Extractions				·
Total quantity Used in Valley Fill	2,645 0	1,251 113	9 ¹ +0 247 e /	4,836 360
Imports				
Owens River Water	6,473			6,473
Exports				
Ground water: to San Fernando Basin	2,645	.1,138	0	3,783
Water delivered to hill and mountain areas				
Owens River Water	378			378
Water outflow				- /
Surface				5,000 <u>f</u> /
Subsurface: to San Fernando Basin Sewera	730	112	0	517 842

TABLE 9. SUMMARY OF WATER SUPPLY AND DISPOSAL BY BASINS In acre-feet (Continued)

VERDUGO BASIN

Water source and use	: Crescents Velley : County Weter District		: La Canada Irri- : getion District		Total
Extractions					
Total quantity Used in Valley Fill	3,027 2,931	3,449 3,449	0	0	6,476 6,380
Imports					
Colorado River Water Owens River Water Ground Water from	1,409	3,540	737 	0 951	5,686 951
San Fernando Basin		4,672	0	0	4,672
Exports	0	0	0	0	0
Water delivered to hill and mountain areas					
Colorado River Water	44	398	О	0	442
Owens River Water Ground water	 96	911	0	303	303 1,007
Weter outflow					
Surface Subsurface: to Monk Hill Basin					7,690 ⁸ / 300 ^h / 72
to San Fernando Basin Sewage	0	1,195	0	0	72 1 , 195

FAGLE ROCK BASIN

ENGLE NOCK BASIN							
Water source and use		Deep Rock Water Company	: Sparkletts Drinking : : Water Corporation :	Total			
Extractions							
Total quantity Used in Valley Fill	0	8	207 0	215 0			
Imports							
Owens River Colorado River Ground water	1,037 3,055 0	0	 0	1,037 3,055 0			
Exports Ground water	0	8	207	215			
Water delivered to hill and mountain areas							
Colorado River Water Owens River Water	1,659 513			1,€59 513			
Water outflow				1/			
Surface Subsurface Sewera	2 ,040	0	0	50k/ 2,040			


 $[\]frac{a}{b}/$ Excludes production from Reseds wells. $\overline{b}/$ Excludes production by Western Oil and Gas Association (nonparty) Meesured at Station F-57C where the 29-year mean (1929-57) base low flow is 7,580 ecre-feet. c/ Measured at Station F-57C where the 29-year mean (1929-57) base low flow is 7,580 ecre-fed/ Includes reclaimed waste water which infiltrates into the ground water basin after being

discherged in L. A. River and while on route to gaging station F-57C.

e/ Excludes water from San Fernando Tunnel which is being built by MwD.

f/ Surface outflow is not measured. Calculated everage surface outflow by Laverty - SF Exhibit 57. g/ Information obtained from Station F-252R. h/ Based on 29-year average (1929-57). J/ Information not available.

Estimated in Supplemental No. 2 to Report of Referee for dry year 1960-61. Currently, data not available for direct evaluation.



IV. ADMINISTRATION OF THE JUDGMENT

The Department of Water Resources as Watermaster in the Upper Los Angeles River Area, administers the Judgment and keeps the Court fully advised and apprised of any violations or changes in administration.

Assignments of Restricted Pumping

In accordance with the provisions of the Judgment, the Watermaster records all changes of ownership, transfer, or assignment of Restricted Pumping rights. Table 10 lists all assignments, parties, and amounts involved. Appendix "A" records the documents used to assign Restricted Pumping rights by each of the parties as of September 30, 1971. During the 1970-71 water year, the City of Los Angeles submitted estimates on the amounts to be extracted by those parties having separate stipulated Judgments with the City of Los Angeles. The clause, which allows the parties with stipulated Judgments to extract ground water under the City of Los Angeles' Restricted Pumping right, is covered by Section V, Paragraph 2 of the Judgment. The City of San Fernando did not exercise its right to purchase water from the City of Los Angeles

TABLE 10. ASSIGNMENTS OF RESTRICTED PUMPING

	: in	acre-feet		Party
	San F	ernando Basin		
urauant to Stipulated Judgments				
alifornia Materials Company	Stipulated	350.00ª/	from	Los Angeles, City of
onsolidated Rock Products Co.	Stipulated	1,600.008/	from	Los Angeles, City of
ivingston-Graham, Incorporated	Stipulated	550.00ª/,	from	Los Angeles, City of
ears, Roebuck and Company	Stipulated	400.00a/	from	Los Angeles, City of
Malt Disney Productions	Stipulated	1,900.00ª/	from	Los Angeles, City of
ursuant to License				
Aurbank, City of	Licensed	181.00	from	Lockheed Aircraft Corporation
Marper, Cecelia DeMille	Licensed	45.00	from	Forest Lawn Memorial Park Association
diverwood Ranch Mutual Water Co.	Licensed	32.00	from	Lockheed Aircraft Corporation
Southern Service Company, Ltd.	Licensed	130.00	from	Forest Lawn Memorial Park Association
Sportsmen's Lodge, Incorporated	Licensed	7.00	from	Forest Lawn Memorial Park Association
Sportsmen's Lodge, Incorporated	Licensed	6.00	from	Lockheed Aircraft Corporation
Sportsmen's Lodge, Incorporated Coluca Lake Property Owner's	Licensed	25.00	from	Van de Kamp's Holland Dutch Bakers, In
Association	Licensed	15.00	from	Bartholomaus, William O. and Dubois, Ellen S.
J. S. Mortgage	Granted	0.00	from	Wright, Marion J. and Alice M.
Malhalla Memorial Park	Licensed	20.00	from	Lockheed Aircraft Corporation
	Syl	mar Basin		
Pursuant to License				
Brown, Charles T.	Idcensed	20.00	from	Boise Cascade Building Company
Fidelity Federal Savings and	шсепаец	20.00	1100	Porto capeare parterie combattly
Loan Association	Assigned	609.00	from	Boise Cascade Building Company
San Fernando, City of	Licensed	40.00	from	Moordigian, Kisag

a/ Estimate submitted by City of Los Angeles, see Appendix A.

pursuant to the "Physical Solution-Sylmar Basin", which is described in Section VII, Paragraph 2 of the Judgment.

In addition to the Cities of Los Angeles and San Fernando, a number of parties availed themselves of the opportunity to license water rights to meet their water demands.

In order that a water right license or sale agreement be in force during the water year, it will be the Watermaster's policy that it be signed before or during the water year in question. Failure to submit a license or sale document with the Watermaster by August 31 of the water year in question may be considered as evidence that such an agreement was never consummated during such water year.

Overextractions

In restricting ground water extractions in ULARA, it was foreseen that there would be unavoidable fluctuations in water usage occurring from year to year. Therefore, the flexibility clause was included in the Judgment which allowed each party to vary its extractions within reasonable limits so that it could pump more or less than its "Restricted Pumping", with equivalent debits or credits being applied to its extractions in the subsequent water year.

The provisions described in Section VIII of the Judgment, allows each party a flexibility of 10 percent of its Restricted Pumping right. In other words, a party may underpump or overpump by ten percent of its Restricted Pumping and in the succeeding water year increase or decrease (whichever is applicable) its pumping by the same amount. Table 11 summarizes all overextractions and violations of the Judgment.

Of the 9 parties that exceeded their allowable extraction for 1970-71, five were in violation of the Judgment.

TABLE 11. OVEREXTRACTIONS In acro-foot

			in acre-reet				
	: (1)	(2) Allowable	: (3) : Allowable	: (4)	(5)	Overextract	ions (7)
Party	: Restricted : Pumping	carryover from 1969-70		: Amount : extracted			In percent [(5):(1)]100=(7)
San Fernando Basin							
Livingston-Graham, Inc. Los Angeles, City of Mena, John and Barbera Monteria Lake Association Southern Service Company, Ltd.	550.00 59,534.00 <u>d</u> / 0.00 0.00 130.00	0.00 - 6,581.37 - 1.92 - 13.46 - 44.37	550.00 52,952.63 - 1.92 - 13.46 85.63	669.37 53,931.55 0.96 0.00 85.93	- 119.37 - 978.92e/ - 2.88 - 13.46 - 0.30	6,325.70 [£] / 0.00 0.00 13.00	1.55 <u>f/</u> <u>g/</u> <u>g/</u> 0.23
Sportsmen's Lodge, Inc. Walt Disney Productions	38.00	- 30.83 0.00	7.17	19.16 1,974.67	- 11.99 - 74.67	3.80 /	31.55 %
Subtotals	62,152.00	- 6,671.95	55,480.05	56,681.64	- 1,201.59		
Sylmar Basin							
Brown, Charles T. Church of Jesus Christ of the	20.00	- 12.30	7.70	12.12	- 4.42	2.00	22.108/
Latter Day Saints Los Angeles, City of	2,818.00	- 591.71 - 181.72	- · 591.71 2,636.28	212.81 2,645.35	- 804.52 - 9.07	0.00 281.80	0.32
Subtotals Totals	2,838.00	- 785.73 - 7,457.68	2,052.27 57,532.32	2,870.28	- 818.01 - 2,019.60		

a/ Refer to Column (1)+(3), Table 6.

b/ Computed as 10 percent of Column (1) unless otherwise noted.
c/ Party entitled to extract ground water per stipulated Judgment with City of Los Angeles. The City will, in succeeding water year,

decrease its extractions by the amount of the owerextraction shown under column (5).

Includes 1077 sere-feet of spreading credit pursuant to "Stipulation for Emergency Spreading and Extraction".

Not to be considered on overextraction per se, as the "Stipulation for Emergency Spreading and Extraction" permits the City of Los Angeles to overextract.

f/ For City of Los Angeles, the allowable overextraction is 10 percent of its "Restricted Pumping" shown in Column (1) of Table 6.
g/ Party in violation of the Judgment either as a result of having a zero water right or having exceeded its allowable extraction by 10 percent of its "Restricted Pumping" shown in Column (1).

The parties in violation are subject to court action. Recommendations are discussed under "Findings, Determinations and Recommendations by the Watermaster.

Table 11 also lists two parties that are subject to the Stipulated Judgment with the City of Ios Angeles. These parties' extractions, in excess of the estimates submitted by the City of Ios Angeles, will be adjusted against the City's Restricted Pumping right during the 1971-72 water year. As such, the parties in question are not considered to be in violation of the Judgment.

Findings, Determinations and Recommendations by the Watermaster

The Watermaster finds five parties in violation of the Judgment as a result of overextractions during the 1970-71 water year and recommends action by the Court be brought only against the Church of Jesus Christ of the Latter Day Saints.

This party was also in violation of the Judgment for the 1968-69 and 1969-70 water years. On or about March 2, 1971, the Watermaster advised them by letter that they were in violation of the Judgment. To date, the Church has made no apparent effort to obtain Restricted Pumping rights to cover its ground water extractions during the 1968-69, 1969-70, and 1970-71 water years. Monteria Lake Association, Inc. did not extract any ground water during the 1970-71 year; however, their account continues to show an overextraction as a carryover from 1968-69. On March 5, 1971, they were advised, by letter from the Watermaster, that should they not eliminate the deficit from their account by September 30, 1971, the Watermaster would recommend to the Court that action be taken against them. Therefore, the Watermaster does hereby recommend

that the Court take the necessary action against Monteria Lake Association, Inc.

Charles T. Brown Company and Sportsmen's Lodge, Inc. were also in violation of the Judgment due to an overextraction during the 1969-70 water year. However, no action is recommended by the Watermaster inasmuch as these two parties have leased water rights in an attempt to offset their overextraction. In addition, the Watermaster has on file correspondence from these two parties which shows that they are making a great effort to obtain additional Restricted Pumping rights to cover their overextractions.

As to the one remaining party who overextracted in violation of the Judgment, the Watermaster also does not recommend action be taken. John and Barbara Mena extract less than 1 acre-foot a year for domestic purposes.

The City of Los Angeles, as a result of the February 9, 1971 earthquake damage sustained by its water system and reservoirs, mainly, the Van Norman complex, requested permission for the removal of the 10% flexibility restriction on ground water extractions, as it applies to the City of Los Angeles. The matter was considered and approved by the ULARA Advisory Board on February 25, 1971. A Stipulation for Emergency Spreading and Extraction and Order Thereon, (see Appendix A) was filed along with the Watermaster's recommendation with the Court on June 16, 1971, and ordered by the Honorable Charles A. Loring, Judge of the Superior Court, on June 16, 1971.

Said stipulation provides that the City of Los Angeles may spread excess Owens River water into its spreading grounds in the San Fernando Basin but not to exceed 22,000 acre-feet in any water year. It further provides that the City of Los Angeles may extract from the San Fernando Basin in addition

to extractions and diversions permitted by the Judgment, an amount of water equal to the amount spread plus "the amount heretofore spread on an emergency basis following the earthquake of February 9, 1971."

Following the earthquake, which occurred at 6:01 a.m. on February 9, 1971, the City of Los Angeles took immediate steps to empty Van Norman Reservoir. Water was spilled at numerous places into flood control channels which subsequently drain to the Los Angeles River.

By 8:35 a.m., spreading had commenced at the Tujunga Spreading Grounds. Spreading of imported water from Van Norman Reservoir continued through February 12, by which time 399 acrefeet of water had been spread. The Watermaster made a study of the data which was submitted by the City in substantiating the amount spread. The Watermaster has credited the City with 399 acre-feet of Owens River water spread during the month of February.

In addition to spreading at the Tujunga Spreading Grounds, the City also spread Owens River water diverted from the Los Angeles River at its Headworks Spreading Grounds. During March 1971 the City spread 1,488 acrefeet of water in its Headworks Spreading Grounds. It was estimated, based on historical records of the normal flow in the river during this period, that 570 acre-feet of the quantity spread resulted from the releases of Owens River water from Van Norman Reservoir into the Los Angeles River system. The City subsequently spread 678 acre-feet of water during the month of April of which 108 acrefeet was considered as Owens River water. The City submitted data relating to the amount of water spread during March and April. The Watermaster in turn reviewed, analyzed, and credited the City with 570 acre-feet of water during the month of March and 108 acre-feet during the month of April. As a result of 1970-71 spreading of imported water pursuant to the "Stipulation for Emergency Spreading and Extraction", the City of Los Angeles was credited with 1,077 acrefeet of water which was applied toward the City's extractions during the same water year.

The City of San Fernando, through no fault of its own, was deprived the use of its water system and ability to extract its full entitlement of water right during the 1970-71 water year because of the earthquake.

During the February 4, 1972, ULARA Advisory Board meeting, a motion was made and approved that the City of San Fernando be allowed to extract its unused water right in the subsequent 3 water years. The Watermaster concurs with the Advisory Board's recommendations and deems it appropriate and equitable that the City of San Fernando be allowed to carry over its unused "Restricted Pumping" because of the emergency conditions that prevailed subsequent to the earthquake and which prevented it from pumping its proportionate share of ground water from the Sylmar Basin.

In view of the earthquake damage sustained by the City of San Fernando, and its inability to extract is water rights, the Watermaster hereby approves, subject to continuing jurisdiction of the Court, that San Fernando be allowed to carry over for extraction in the three subsequent water years a total of 1,526.06 acrefeet of water which it was unable to utilize during the 1970-71 period.

Excerpts from reports describing water system damages sustained by the Cities of San Fernando and Los Angeles are presented in Appendix E. The City of Los Angeles' report entitled "Earthquake Emergency Report, Water Systems" February 1971 and the City of San Fernando's report entitled "Report on the City of San Fernando's Water Supply System" November 1971 are filed in the Watermaster's office.

V. ADMINISTRATIVE COSTS

The Upper Los Angeles River Area was established as a "Watermaster Service Area" in accordance with Part 4, Division 2, of the Water Code of the State of California. Pursuant to the provisions of Section 4201 thereof, the cost of watermaster service is payable one-half by the State and one-half by the parties. Thus, the parties are assisted by the State in their endeavor to distribute the waters of ULARA in the most economical way.

The Judgment, on the other hand, describes the procedures for apportioning the costs among the parties and how it should be collected. It requires that each year, the Watermaster prepare a proposed budget covering the forthcoming July 1 to June 30 fiscal year. Please keep in mind that watermaster service and the annual report are on a water year basis, i.e., October 1 through September 30.

The Judgment also provides that the parties' share of the budget be borne by each party in the proportion that its "Mutual Prescriptive Right" bears to the total "Mutual Prescriptive Right" of all parties in ULARA. However, no party having 50 acre-feet or less of "Mutual Prescriptive Right" shall be assessed any charges.

The Watermaster is required to include the proposed budget and its apportionment in the annual report, so that they may be reviewed and approved by the Advisory Board on or about February 1 of each year. The proposed budget is subsequently mailed to the parties as part of the annual report on or before March 1 of each year. If there are any objections to the proposed budget, they must be presented in writing to the Court and to the Watermaster within 30 days (on or before March 31)

after the mailing of the annual report. If no objections are received, the proposed budget becomes final.

Invoices are mailed on or about April 1 and all payments must be received, whether objections are filed or not, within 60 days (on or before May 1) after mailing of the annual report.

APPROVED BUDGET FOR 1970-71

In accordance with the Judgment, the Watermaster submitted the proposed budget for the fiscal year July 1, 1970 through June 30, 1971 as part of its 1968-69 annual report. The tentative budget and annual report were reviewed and approved by the Advisory Board on February 2, 1970.

The parties had 30 days after the mailing of the annual report to submit their objections to the proposed budget. No objections were received by March 31, 1970 and the proposed budget became final. Table 12 presents the 1970-71 budget as approved by the Advisory Board and parties.

TABLE 12. APPROVED BUDGET FOR 1970-71

Salaries and wages Operating expenses	\$16,532
TOTAL BUDGET	\$25,176
One-balf payable by State	\$12,588
One-half payable by parties to Judgment Less estimated funds on hand July 1, 1970 Amount to be billed	\$12,588 - 3,000 \$ 9,500
	State of California
	The Resources Agency DEPARTMENT OF WATER RESOURCES Southern District
Approved: Date: <u> </u>	DEPARTMENT OF WATER RESOURCES
Approved: Date:	DEPARTMENT OF WATER RESOURCES

Invoices for each party's proportionate share of the budget were mailed on or about April 1 and all payments were received prior to the deadline of May 1, 1970. Each party's proportionate share of the 1970-71 budget is shown on Table 13. A recapitulation for the Cities of Glendale and Los Angeles is made since they are billed in two separate basins.

During the third year of watermaster service the work load leveled off and decreased somewhat. As a result, the expenditures in 1970-71 were slightly lower when compared with the 1969-70 fiscal year.

Income and expenditures for watermaster service during the 1970-71 fiscal year are shown in Table 14 In accordance with the California Water Code, any credit or debit balance remaining at the end of the fiscal year is carried forward into the succeeding fiscal year. The parties' share of the carryover into the 1971-72 fiscal year totaled \$3,254.75.

TABLE 13. APPORTIONMENT OF PARTIES'

SHARE OF 1970-71 BUDGET

Party	: Mutually Prescriptive : Right, io acre-feet	: Apportionment : to be paid
San Fernando Basin		
Burbank, City of	17,760	\$ 1,335
Forest Lawn Memorial Park Assoc.	1,060	80
Glendale, City of	16,141	1,213
Lockheed Aircraft Corporation	310	23
Los Angeles, City of	82,310	6,185
Valhalls Memorial Park	240	18
Van de Kamp's Holland Dutch		
Bakers, Inc.	120	9
Verdugo Basin		
Creacenta Valley County Water		
District	1,988	149
Glendale, City of	2,327	175
Sylmar Basin		
Boise Cascade Building Company	527	40
Los Angeles, City of	2,440	183
San Fernando, City of	2,370	178
TOTALS	127,593	\$ 9,588
Recapitulation for:		
Glendale, City of	18.468	\$ 1,388
Los Angeles, City of	84,750	\$ 6,368

TABLE 14. STATEMENT OF JULY 1, 1970 - JUNE 30, 1971 INCOME AND EXPENDITURES

Item	: Pa	arties	: State	: Parties	s and State
Income					
From 1970-71 budget Balance from 1969-70	\$9,588.00 4,490.43		\$12,588.00	\$22,176.00 4,490.43	
TOTAL INCOME		\$14,078.43	\$12,588.	.00	\$26,666.43
Expenditures					
Salaries and wages	\$7,552.28		\$ 7,552.28	\$15,104.56	5
Operating expenses Miscellaneous indirect cost Travel in State Printing annual report Electronic machine computing Other	1,907.94 9.25 97.79 892.09 364.33		1,907.95 9.25 97.79 892.09 364.33	3,815.89 18.50 195.58 1,784.16 728.66	0 3 3
TOTAL EXPENDITURES		\$10,823.68	\$10,823.	.69	\$21,647.3
BALANCE		\$ 3,254.75°C/	\$ 1,764.	.31	\$ 5,019.0

a/ Rent, utilities, auto rental, communications, retirement, employee's health plan, and workmen's compensation insurance.

b/ Equipment rental, mobile equipment operation, engineering contracts. c/ Total credit to parties in 1971-72 fiscal year, subject to delayed charges.

The tentative budget for the fiscal year July 1, 1971, through June 30, 1972, was submitted by the Watermaster for review and approval by the Advisory Board on February 3, 1971. The parties had 30 days after the mailing of the annual report for submitting their objections to the proposed budget which was made a part thereof.

No objections were received by March 31, 1971, and the budget became final. Invoices for each party's proportionate share of the budget were mailed on April 1 and all payments were made before May 1, 1971. Table 15 presents the 1971-72 budget as approved by the Advisory Board on February 3, 1971. Each party's share of the 1971-72 budget is shown in Table 16.

TABLE 15. APPROVED BUDGET FOR THE FISCAL YEAR
JULY 1, 1971 THROUGH JUNE 30, 1972

Salaries and wages Operating expenses	\$18,307 8,352
TOTAL BUDGET	\$26,659
One-half payable by State	\$13,330
One-half payable by parties to Judgment Less estimated funds on hand July 1, 1971 Amount to be hilled	\$13,329 - 1,500 \$11,829
APPROVED:	
UPPER LOS ARGELES RIVER AREA ADVISORY BOARD By Askert 5 James Cobert	STATE OF CALIFORNIA The Resources Ageocy DEPARTMENT OF WATER RESOURCES Southern District By District Engineer Southern District end Wetermaater
	Date JAN 2 8 1971

In accordance with the Judgment, the Watermaster hereby submits a proposed budget for the fiscal year July 1, 1972, through June 30, 1973. The tentative budget submitted herewith was reviewed and approved by the Advisory Board on February 4, 1972. The parties will have 30 days after the mailing of the annual report for submitting their objections to the proposed budget.

If no objections are received by March 31, 1972, the budget will become final. Invoices for each party's proportionate share of the budget will be mailed on or about April 1 and payments will be due on or before May 1, 1972. Table 17 presents the 1972-73 budget as approved by the Advisory Board. Each party's share of the 1972-73 budget is shown in Table 18.

TABLE 16. APPORTIONMENT OF PARTIES'
SHARE OF 1971–72 BUDGET

Party	: Mutually Prescriptive : Right, in acre-feet	: Apportionment : to he paid
San Fernando Basin		
Burbank, City of Forest Lawn Memorial	17,760	\$ 1,646.51
Park Association	1,060	98,27
Glendale, City of	16,141	1,496,42
Lockheed Aircraft Corporation	310	28.74
Los Angeles, City of	82,310	7,630,88
Valhalla Hemorial Park Van de Kamp's Holland	240	22.25
Dutch Bakers, Inc.	120	11.12
Verdugo Basio		
Crescente Valley County		
Water District	1,988	184.30
Glendale, City of	2,327	215.73
Sylmar Basio		
Boise Cascade Building Company		48.85
Los Angeles, City of	2,440	226.21
San Fernando, City of	2,370	219.72
TOTALS	127,593	\$ 11,829.00
Recapitulation for:		
Glendale, City of	18,468	\$ 1,712.15
Los Angeles, City of	84,750	\$ 7,857.09

Table 17. TENTATIVE BUDGET FOR THE FISCAL YEAR JULY 1, 1972 THROUGH JUNE 30, 1973

ULARA Watermaster Service Area

Salaries and wages Operating expenses \$15,630 8,594

TOTAL BUDGET

\$24,224

One-half payable by State

\$12,112

One-half payable by parties to Judgment Less estimated funds on hand July 1, 1972 \$12,112

Amount to be billed

\$12,112

APPROVED:

UPPER LOS ANGELES RIVER AREA ADVISORY BOARD

Robert James

Date Feb. 4. 1972

STATE OF CALIFORNIA
The Resources Agency
DEPARTMENT OF WATER RESOURCES

Sputtern District

James J. Doody

District Engineer Southern District and Watermaster

Date JAN 3 1 1972

TABLE 18. APPORTIONMENT OF PARTIES' SHARE OF 1972-73 BUDGET

Party	: Mutually Prescriptive	: Apportionment : to be paid
	: Right, in acre-feet	: co be pard
San Fernando Basin		
San Fernando Busin		
Burbank, City of	17,760	\$ 1,685.90
Forest Lawn Memorial	.,,	
Park Association	1,060	100.62
Glendale, City of	16,141	1,532.21
Lockheed Aircraft Corporation	310	29.43
Los Angeles, City of	82,310	7,813.43
Valhalla Memorial Park	240	22.78
Van de Kamp's Holland		
Dutch Bakers, Inc.	120	11.39
, -		
Verdugo Basin		
Crescenta Valley County		
Water District	1,988	188.71
Glendale, City of	2,327	220.90
, ,		
Sylmar Basin		
Fidelity Federal Savings		
and Loan Association	527	50.03
Los Angeles, City of	2,440	231.62
San Fernando, City of	2,370	224.98
Jan 2 32 Manuary 0 2 50		A 10 110 00
TOTALS	127,593	\$ 12,112.00
Recapitulation for:		
Glendale, City of	18,468	\$ 1,753.11
Los Angeles, City of	84,750	\$ 1,753.11 \$ 8,045.05
200 .2.50200, 020, 02	,,,	



APPENDIX A

RESTRICTED PUMPING OF UPPER LOS ANGELES RIVER AREA PARTIES SEPTEMBER 1971

AND

COPIES OF LEGAL DOCUMENTS



Appendix A TABLE OF CONTENTS

		Page
Restricted Right of Upper Los Angeles River Area		
September 1971		52
Stipulation for Emergency Spreading and Extrac		54
Transfers of Restricted Pumping		56
Party	Agreement with	
. SAN FERNANDO BASIN		
Burbank, City of	Lockheed Aircraft Corporation (See 1969–70 report)	
California Materials Company	Los Angeles, City of	56
Consolidated Rock Products Company	Los Angeles, City of	56
Harper, Cecilia DeMille	Forest Lawn Memorial Park Assoc	56
Livingston-Graham, Incorporated	Los Angeles, City of	56
Riverwood Ranch Mutual Water Co.	Lockheed Aircraft Corporation (See 1969–70 report)	
Sears, Roebuck & Company	Los Angeles, City of	56
Southern Service Co., Limited	Forest Lawn Memorial Park Assoc Forest Lawn Memorial Park Assoc	56 56
Sportsmen's Lodge, Inc.	Forest Lawn Memorial Park Assoc. Lockheed Aircraft Corporation (See 1969-70 report) Van de Kamp's Holland Dutch Bakers, Incorporated	57 57
		0,
Toluca Lake Property Owners' Assoc.	Bartholomaus, William O. & Ellen S. Dubois	57
U. S. Mortgage	Wright, Marion J. and Alice M	58
Valhalla Memorial Park	Lockheed Aircraft Corporation (See 1969–70 report)	
Walt Disney Productions	Los Angeles, City of	56
SYLMAR BASIN		
Brown, Charles T.	Boise Cascade Building Co	59
Fidelity Federal Savings and Loan Assoc.	Boise Cascade Building Co	59
San Fernando, City of	Moordigian, Kisag (See 1968-69 report)	
Suggested Samples of Documents for Transferr Form for Assigning Water Rights Form for Transferring Water Rights		59 59 59

RESTRICTED PUMPING OF UPPER LOS ANGELES RIVER AREA PARTIES SEPTEMBER 1971

Party a	Restricted Pumping, in acre-feet per year
SAN FERNANDO BASIN	
Bartholomaus, William O. and Ellen S. Dubois	15.00
Burbank, City of	13,649.00
California Materials Company	0.00 <u>b</u> /
Consolidated Rock Products Company	0.00 <u>b</u> /
Forest Lawn Memorial Park Association Includes: American Security and Fidelty Company Forest Lawn Cemetery Association Forest Lawn Company	814.00
Glendale, City of	12,405.00
Harper, Cecilia DeMille	0.00
Successor of Estate of Cecil B. DeMille Livingston—Graham, Incorporated Successor of Livingston Rock and Gravel Company	0.00 <u>b</u> /
Lockheed Aircraft Corporation	239.00
Los Angeles, City of	63,257.00
McCabe, Celeste Louise	1.00
Mena, John and Barbara Successor of Neva Bartlett Holmgrin	0.00
Monteria Lake Association	0.00
Riverwood Ranch Mutual Water Company	0.00
Sears, Roebuck & Company	0.00 <u>b</u> /
Southern Service Company, Limited	0.00
Sportsmen's Lodge, Incorporated Formerly known as Sportsmen's Lodge Banquet Corporation	0.00
Toluca Lake Property Owners' Association	23.00
U. S. Mortgage Successor of Wright, Marion J. and Alice M.	00.00
Valhalla Memorial Park Includes: Valhalla Mausoleum Park Valhalla Properties	184.00
Van de Kamp's Holland Dutch Bakers, Incorporated	93.00
Walt Disney Productions	00.00 <u>b</u> /
SUBTOTALS (SAN FERNANDO BASIN)	90,680.00

RESTRICTED PUMPING OF UPPER LOS ANGELES RIVER AREA PARTIES SEPTEMBER 1971

(Continued)

Party a		Restricted P in acre-feet p	
SYLMAR BASIN			
Brown, Charles T. Successor of Stella M. B	rown	0.00	
Church of Jesus Christ Successor of Henry G. S	of the Latter Day Saints	0.00	
		609.00	
Los Angeles, City of		2,818.00	
Moordigian, Kisag		46.00	
San Fernando, City of		2,737.00	
SUBTOTALS (S	YLMAR BASIN')		6,210.00
VERDUGO BASIN			
Crescenta Valley Cou	inty Water District	3,294.00	
Glendale, City of		3,856.00	
SUBTOTALS	(VERDUGO BASIN)		7,150.00
TOTAL	(ULARA)		104,040.00

a/Parties that are not listed on this table have zero "Restricted Pumping."

 $[\]frac{b}{P}$ Party is allowed to extract ground water pursuant to Stipulated Judgment with City of Los Angeles.

OFFICE COUPY

DEPARTMENT OF WATER RESOURCES P G 801 1190

2

3

4

8

9

10

11

12

13

15

16

17

18

19

22

23

24

25

26

27

1

2

3

5

6

8

9

10

11

12

13

14

15

10

17

19

20

21

22

23

24

25

28

JUN 16 1971 DRIGINAL EILE KEP BLANK

Preciding Judge Superior Court for Los Angeles Superior Court for Los Angeles County P. O. 60x 151 Main Post Office Los Angeles, Californie 90053

Subject: Stipulation for Emergency Spreading and Extraction - ULAN

Dear Sir:

This is to inform the Court that the Motormaster, appointed by the Court in the Superior Court Case No. 650,079, supports the chowe-ment) and Stipulation and Order which was signed on May 26, 1971.

The precricus condition of the City of Ins America' vater aupply system that exists following the Debruary 39, 1971, earthquake was deceribed to the ULGAM Advisory board on Pebruary 39, 1971, and Inspect by the Uniteraster on Nater Ab 1971. The connectus of the Advisory Board was that Los Americas should be allowed and Advisory Board was the Company of the Company

The Watermaster has kept abreast of the events leading up to the signing of the "Stipulation" by all interested parties and feels that the "Stipulation" can be administered without difficulty.

Should the Court desire edditional information, this office will be happy to supply it.

Sincorely yours.

· July I grad-James J. Doody District Engineer Gouthern Olstrict and Motern mater

B. On a temporary basis, the San Fernando Basin of the ULARA can be used as a partial substitute for terminal storage formerly provided by the Van Norman Reservoirs. Said basin elso constitutes a source of emergency water in the event such earthquake demege abould make it impossible for plaintiff to meet its water service demands from time to time. Those demands presently include emergency service to the City of San Fernando, whose water system has been even more extensively damaged by the earthquake.

C. Subparagraph 2(c) of Section X of the "Judgment After Triel by Court" which was rendered in this case on March 14, 1968, authorizes the watermaster, subject to review by the court, to permit changes in the Restricted Pumping of the parties because of "emorgency requirements",

O. Section IX of the judgment enjoing the parties from spreading, in the ULARA, any water imported from other ereas, including water imported by plaintiff by means of the Los Angeles Aqueduct. The judgment contains no provision authorizing the wetermaster to modify that limitation, but Section IX and Subprogramb 2 of Section XI provide for applications to the court for authorization of artificial recharge by such spreading. Subparagraph 6 of Section XI also provides for court modification of the judgment's flexibility and Restricted Pumping provisions, on the basis of "emergency requiremente".

E. The earthquake of February 9, 1971, has resulted in an emergency of the type contemplated by the foregoing provisions of the judgment.

F. At times inflow of water from the Los Angeles Aqueduct exceeds the ability of plaintiff to utilize such water in its

-2-

Silven C. POORE ANYEDEROH, City Attorney
IDMARD O. HARRELL, Chief Accident
City Attorney for inter and Power
ROUT. S. HOORR, JR.,
Assistant Olly Attorney
RALPH OUY MESSON,
Assistant Olly Attorney
Acsistant Olly Attorney
Ollhand W. Aus, Deputy City Attorney
Ollhand W. Aus, Deputy City Attorney
Los Angeles, California 90054
[213] MD1-0332 or MB1-4211 2 3 ORIGINAL FILED JUN 1 6 1971 CEORGZ C. CROVER, Special Counsel 601 South Hain Street Gorona, California (714) 737-1910 7 COUNTY CLERK 6 9 10 SUPERIOR COURT OF CALIFORNIA, COUNTY OF LOS ANGELES 12 THE CITY OF LOS ANGELES, a Municipal corporation, 13 No. 65,0079 14 claintiff, STITULATION FOR EXPRESSION 16 VA. SPREADING AND EXCRACTION 14 CITY OF SAN FERNANDO, a Municipal corporation, and 12 ct al ORDER THERION Defendant n. 18 20 RECITALS.

21

22

23

24

25

26

This etipulation is based upon the following facts:

A. On February 9, 1971, a major earthou he occurred in the Upper Los Angeles River Acea (JLARA), equaing heavy damage to p aintiff's water system in the San Fernando Valley, including demage to both Van Norman Pesorvoirs. As a result, plaintiff has lost the vital terminal starage capability of those recervoirs, and plaintiff will have no surface substitute for such storage until October 1, 1973, or later.

water system without the Van Norman Reservoire. Pert or all of this water could be placed in spreading grounds owned by plaintiff whereby it would percolate into the San Fornendo ground water

O. The parties desire to ameliorate the damage and loss which have resulted, or may result, from the earthqueke of February 9, 1971. To that end, they desire to consent to certain terms and conditions whereby plaintiff may engage in srtificial recharge by spreading water imported by the Los Angeles Aqueduct without prejudice to the rights of any party in the judgment or in the pending appeal from the judgment. It is in the public interest that the following stipulation be given effect.

STIPULATION

NOW. THEREFORE, it is hereby attoulated and screed that: 1. The foregoing recitels are true,

2. The conditions existing by reason of the eforesaid carthouske constitute an emergency as contemplated by Section XI(6) of the Judgment. Pursuant to Subparagraph 2(c) of Section X of the judgment, the watermaster may authorize plaintiff, or any party. to exceed its Restricted Pumping rights (as modif.ed by Section VIII to the extent necessary to meet its water service demends. Such permission may be given in the first instance without prior notice to the parties or the court, but records shall be kept of all suthorizations. During the calendar month following any such authorization, the watermaster shall notify the other parties of the action permitted. Summaries of ections taken and authorized shall be included in the respective annual reports required by

-3-

Saction X of the judgment.

2

3

10

11

12

13

14

15

16

19

20

21

22

24

25

26

27

28

8

.

10

11

14

13

14

17

19

20

21

22

23

27

3. As promptly as procticable, any party exceeding its pumping rights pursuant to authorization from the watermaster shall return an amount of water equivalent to such excess, by spreading imported water into the basin from which it is pumped or by foregoing its right to pump from said basin or by both such epreading and reduced pumping.

a. Until the terminal storage capability of the Van Norman Reservoirs is replaced or until further order of court herein, pleintiff may engage in ertificial recharge by spreading into its epreading grounds in the San Formando Basin any water which it imports by means of the los Angeles Aqueduct and which cannot be delivered into the water system or be stored in surface reservoirs of plaintiff. Frovided, however, that no mure than 22,000 acre feet shall be so epread in any water year.

5. Plaintiff may extract from the San Ferrando Basin,
e.e future time, in addition to extractions and diversions permitted by the Judgment, as amount of water equal to the amount agreed pursuant to feragraph 4 hereof, plus the amount heretofore splead on an emergency basis following the earthquike of Pebruary 9, 1571, less any amount extracted in accordance with Feragraph 2 hereof in excess of ite purping rights, and less any amount of such opread water which is determined to have been lost by evaporation or transpiration, and less any rising water outflow caused by such spreading.

 Plaintiff shall report to the watermaster cach month the amount of any water spread in the preceding morth. Frior to extracting any water pursuant to Faragraph 5 hereof, plaintiff

4-

JOSEPH W. RAINVILLE, City Attorney City of Olendele SAUVEL GORLICK, City Attorney City of Surbank NIGOS, JENNINOS, FLETCHER & MACK, Special Councel

By Part Deutstrand

Attorneys for Defendants City of Glendale, a municipal corporation; City of Burbank, a nunicipal corporation; A-mador; Benk of America National Trust & Sevings Ascociation; Laurs J. LeOus; Thelms M. Mesker; Cerl H. Heeker.

MELBY & ANDERSON

Attorneys for Defendant Croscents Valley County Wattor District.

MICHOLAS, KOLLINER, VAN TASSEL &

By Il House Michalas

Attorney & fr Defendent
Hiller O. Bertholomaue,
Ellen S. Duois, Jonesican
Security & Fidelity Corporation, Forest Lawn Genetery
Association, Forest Lawn Genetery
Association, Forest Lawn HenerialAircraft Corporation, Celeste
Louise "Kodeb, Murjaret E.
Arine, Dean Peter Hoordiglan,
Kiasg Moordiglan, Toluce Lake
Property Owners Association,
Louise "Modeb, Murjaret E.
Houseleum Fark, Wahnlahla
Hausoleum Fark, van de Kampte
Holland Dutch Bükers, Inc.,
and The Wellesley Company.

shall accure the consent of the watermaster, who shall ascertain that the procedure; costs-plated are in accordance with eatd paregraph. No party shall be responsible for any legal damages caused by the appreciage of water by any other party.

 This stipulation shell be effective upon submission to and approved by the court and shall be subject to further order of the court herein.

Dated: 177. 2-1. 1971.

FOGER ARRIEDERGH, City Attorney EDWARD C. FARRELL, Chief Assistant City Attorney for Mater and Power ROST. E. HOORE, JR., Assistant City Attorney RACH GOY MESSON, Assistant C.J. Nanuty City Attorney Olimin H. Lis, Davity City Attorney Olimin H. Lis, David City Attorney Commission Course, Special Counsel

By 1/11 E. // Acc A. Attorneys for Pleintiff.

NEVILLE R. LEWIS, City Attorney LEWIS, WARRI & CHIRARDELLI, Special Counsel

Dutiled Tillia Automorph for Defendant City of Sen Pernando, a nunicipal corporation.

of Sen Permando, & Pripal corporation.

ORDER

Pursuant to the foregoing stipulation and for good causa thus shown, $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) ^{2}$

- 7 -

IT IS SO ORDERED, subject to the retained jurisdiction of the court to modify the mane.

Dated. ________, 1971_____, 1971.

CHARLES A. LORING

FM: -/ : Judge of the Sugerior Court

- 5 -

6

10

11

12

13

16

16

17

1.6

19

22

23

24

27

26

2

3

7

a

٥

10

12

14

15

16

17

16

19

20

21

22

23

24

27



54H 104

DEPARTMENT OF WATER AND POWER THE CITY OF LOS ANGELES

LOTOR & STRAIGH SIGN METTY-MAN STRAIGHTE STRAI ATER SAD COMPR CON-RO 111 DECTM CO.OF STREET 1100 YESSTEE & CO. 161 AMDIGOS COLCADORIA COMES

COURT OF STREET STREET

December 16, 1970

Mr. James J. Doody Oistrict Engineer and Matermaster State of California Department of Water Sesources P. O. Rox 6598 Los Angeles, California 90055

Deer Mr. Doody:

Setimated Ground-Water Production for Stipulated Judgment Fertice for the Water Tear 1970-71

In eccordance with Section V of the "Publishe and Freeduces" for the Uncreasers Service to the hope to magnets Stoar are, following is table school to the property of the Service of the


Weter Year 1970-71

Stipulating Party	Estimat Cround We Extracti Ac-ft	
lifornia Materiale Company	350	
agolidated Rock Products Company	1,600	
vingeton-Graham, Inc.	550	
ers Rosbuck & Company	400	
It Olsney Productions	1,900	
tel Estimated Production	4,400	

The estimated values above were based on the mount of ground-water extractions during the previous year (1949-70) by the Stipulation Parties. If additional information is required, please context byron Versatein on an animal parties.

Very truly yours,

CALL IT Lane /Alexa
PAUL H. LANB
Engineer
Los Angeles Aquaduct



PATER LEGENS & AGREDIENT

POBAST LAVE COMPANY (Licensor) grants to GACLIA DE MILLE MARPER, (Licenson): a license co extract 4, erre-fest of literator's seatfacted Purples allocated to Licensor (os prefacesars in interest) under end pursuant to Judgment dated March 14, 1/00, and entered in Los Angeles Superior Court Case 80, 050,073 entitled The City of Los Angeles (Parall'): a City of New Farmedo, at 41, 0 Odfendentes', during the partial consenerting uncober 1, 1/70, and continuing to end including Expressher 30, 1971.

Said License is arented, subject to the fullowing conditions:

- (1) Licenses nell exercise seld right and extract the sews on behalf of forset Lavn Company during the period shows specified and put the case to beneficials use and Licenses shall not by the sections herousier of seld right equire any right to extract veter independent of the right of Licenses.
- (2) Licenses shall notify the Jacanwaster that said pumping was dense pursuant to this License and provide the Jacansacar with a copy of the document.
- Licensee shell sote, in any recording of water production for the period of agreement, that seld pumping was done pursuant to this license.

POREST LAWS CONTACT -excense that It has no excensive it can be seen from a factor of the seen and control of the seen and con

MTD:	FORSEY LAWN COMPANY
CECILIA OS MILLE MARPES	By1
371 March 1 Martin Commen	Yitle: Vice President
Title: Ower	

WATER LICENSE AGREDIENT

POLEST LAWA CONAMY (Licemon) greate to BOTHERS RESPICE COMPANY, LTD.
(Licemon): a licemon to network 75 cere-feet of Licemon's Emerican Pamping
collected to Licemon' (or predecessors in laterant) under one prevents to Judgment
deted Narch 18, 1988, and entered in Los Angeles Reporter Court Core No. 850,079
metitles "The City of Los Angeles, Fisionist ve. City of Nos Ferences, et al.,
Defendence", during the period commercing August 30, 1971, and continuing to and including
Depressber 20, 1971.

Said License is granted, subject to the following conditions:

- (1) Licenare shall exercise sold right and estrect the seem on behalf of Forset Lawn Company during the paried above specified and put the seem to beneficial use and Licenaese shall not by the sarciae herounder of each right equire ony right to extract water independent of the rights of Licenaes.
- (2) Licensee shall notify the Wetermaster that self pumping was done pursuant to this License and provide the Wetermaster with a copy of the document.
- (3) Literage shall note, in any recording of veter production for the period of agreement, that said pumping was done pursuant to this License.

DATED: September 5, 1971

Bitle Fresiden

PORST LVNN COMPANY charants that it has 25 occupied of Associated Amping — and that it has not pusped and will not pusp as permit or license any other person to pusp any person of asid 75 eccupied and units person of August 10, 1971 through Reptember 30, 1971.

ERM SERVICE COMPANY, LTD.	37_ '	6.0	
11/11	Title		7"
S. S. whyte			

PORRET LAWN COMPANY

WATER LICENSE AGREEMENT

FOREST LAWN COMPANY (Licemon's greate to SOUTHERN SINVICE COMPANY,

LTD. (Licemon's e licemon to extract 35 ecre-feet of Licemon's Restricted

Ampling ellocated to Licemon (for predocesors in interest) under end pursuant

to Judgment dated March le, 1964, and entered in Los Angeles Buperior Court Case

0. 630,079 motticled "The City of Los Angeles, Fisintiff vs. City of San Farmando,

at el., Osfendects", during the period commencing October 1, 1970, and continuing

to and including September 30, 1971.

Beid License is grented, subject to the following conditions:

- (1) Licenses shall exercise seld right and extract the sens on behalf of Forest Lawn Coopuny during the paried above specified and put the sense to beneficial use and Licenses shall not by the searcise here-under of self right acquire any right to extract water independent of the rights of Licenses have
- (2) Licensee shall notify the Wetermeter that said pumping was doos pursuant to this License and provide the Wetermester with a copy of the document.
- (3) Licenses shell note, in any recording of water production for the period of agreement, that said pumping was done pursuant to this License.

POREST LAIN COMPANY werests that it has 35 acre-feet of Seatticted Pumping and that it has not pumped and will not pump or parent or license any other parson to pump any part of said 55 acre-feet during pariod of October 1, 1970 through September 30, 1971.

DATED: April / , 1971.	PORESY LAWN COMPANY		
SOUTHERN SERVICE COMPANY, LTO.	ву:		
m. A. M. helist	Title: Vice President		

Title: Passbor

WATER LICENSE AGREDIST

PORRY LAWN COMPANY (Licensor) grants to SPORTHORN'S LODGE, INC.

(Licensos): a licensor to extract 7 acro-feet of Licensor's sectricted Numping,

allocated to Licensor (or predecasors in internet) under end pursuent to Judgment
dated Nurch 14, 1958, and entered in Los Angeles Superior Court Cases No. 650,079

antitled The City of Los Angeles, Plaintiff vs. City of fan Permande, et el.,
permanents", during the period commencing October 1, 1970, and continuing to and
including teptember 30, 1971.

Said License to gracted, subject to the following conditions:

- (1) Licenses shall exercise seld right and extract the sems on behalf of Forest Larm Company during the period above specified and put too same to beneficial uses and Licenses shall not by the exercise hersunder of said right sequire ony right to extract water independent of the rights of Licenses.
- (2) Licenses shall notify the Matermeater that said pumping was done pursuant to this License and provide the Matermeater with a copy of the document.
- (3) Licensee shell note, to eay recording of veter production for the partod of agreement, that said pumping was done pursuant to this License.

POREST LAW COMPANY werrants that it has 15 acce-fast of Restricted Pumping and that it has not jumped and will not pump or permit or license day other person to pump ony part of said 15 acce-fast during period of October 1, 1570 through September 30, 1971.

DATED:	FOREST LAWN COMMINY
SPORTSMEN'S LODGE, INC.	8y 1 1 2 you wish
" I I'm Harlis	Tátle <u>Vice President</u>

mis president

SATER USE LICENSE AGREEMENT

- Said License is granted, subject to the following conditions
- (1) Licensec shall exercise said right and extract the same on behelf of the Month of Kamp's during the period above specified and put the same to beneficial use and licenses shall not by the exercise horeunder of said right acquire any right to extract eater independent of the rights of licenser.
- (2) Licenses shell notify the Watermeater that seid pumping was done pursuant to this license and provide the Watermeater with a copy of the document.
- (3) Licensee shell note, in any recording of water production for the period of agreement, that said pumping was done pursuant to this license.

Van de Kump's warrants that it has _7t_ acre-fect of Restricted Pumping and that it has not pummend and will not pump or prealt or license any other person to pump any part of said _7s_ acre-fect during person or October !

1970 through __Suptember 30 ____, 1971_,

DATEO: September 30, 1971	based 10/3/11
VAIL DE KALP'S	SPORTSKIN'S LONGE
James G. Enresths	as I Im Here
Title: Vice President, Finance	Tille presented

NATER USE LICENSE ACRESIONET

CALLER S, Dub018 and UM. O. MATMALORAUS (bereinsfter referred to se "Licemsors") becopy green to TOLUGA LAKE PROPERTY OFFREE ABSOLUTION, a non-prefit compression, Cherolage for the control of twice of Licemsors' Sectioned Pumping ellected to Licemsors under and pursuant to Judgment dated facts 14, 1984, and untered in Los Angeles Superior Court, Case Number 850, 079, entitled "The City of Lee Angeles, pleintiff, we. City of Sen Formande et al., defendants", during the period commenting October 1, 1970, and controlling to and including September 30, 1971.

Sold License is greated subject to the following conditions:

 Licensee shall exercise said rights and extract the asses on behalf of Licenseers during the period above specified and put the same to beneficial use, and Licensee shall not by the sacrise hereunder of said right acquire may right to extract enter independent of the rights of Licenseers.

 Licenses shell notify the watermaster that sold pumping was done pursuant to this License and provide the watermaster with a copy of this License.

 Licensee ebail note, in may recording of weter production for the period of this License, that said pumping was done pursuant to this License.


3) Licensore werrent that they have \(\lambda \cdots \) acre feet of Restricted Pumping and that they have not jumped and will not pump or paralt or license my other person to pump on part of the \(\lambda \cdots \cdots \) \(\lambda \cdots \cdots \) \(\lambda \cdots \cdots \) \(\lambda \cdots \) \

This License is entered into as of the 22^{Md} day of September, 1970.

Elles B. Dulgie Backeland

TOLUCA LAKE PROPERTY OWNERS ASSOCIATION

Park Franch Drawer



That portion of the Panelo Santa Fulnia, in the city of Los Ampeles, county of Los Ampeles, state of California, as per finel decree in partition of the Rancho San Rafael in District Court Case No. 1871, described as follows:

monthly, emery not not refresh, about of California, as prefical house, 1871, described as follows:

Degioning at the wast extramity of the center line of Feril Arman as shown on any of Tract to 31%, as pre air recognist in Lunch and the second i

PARCEL RO. 21

Twit portion of the Mancho Feata Fulalia, in the city of Inc Appelar county of Los Ampeles, state of California, an per final decrep of partition of the Ampele San Taion, in the District Court fun by, 181, bounded as follows:

CHISSIT "A" - Page &

Description continued......

DESTITUTE theorem that portion described as follows:
hepining at a point on the entry lies of the Annebe Basta Filelia,
as per mag excessed in book 18% pags 70 of Happ, mosts and of portion,
thance protectively lings and more their properties for the state of the control of t

Lot 7 in Block "G" of Tract 575h, in the city of Lee Angalas, county of Lee Angalas, state of California, as per san recorded in heek 54 pages 83 and 88 of Mape, in the office of the county recorder of said county.

PARCEL NO. "1

That part of the Earcho Santa Eulalia, so per final decres of partition of the Renche San Refeel in District Court Case No. 1871, Assoribed as follows:

beginning at the dortheast corner of set 7 in blook "e" of Tract 1554, and the country recorder of the country recorder of said country themes south St "Ms. in 1 the officer of the country recorder of said country themes south St "m" Wast along at successing the of set of the country wast along the country like a country themes south St "m" Wast along the country of the country themes south 50° 18° and taking said swetch; like of Zeachurst Avenus; these south 50° 18° and taking said swetch; like of Zeachurst Avenus of East to the plaint of beginning.

NATION LIES LECTURE ASSESSMENT

Boise Casenda hursby grants to Charles T. Brown: a license to mutrum: NO acro-frost of licenser's Sentimited Pumping alloweds to licenser -(or prodocessors in interval) under and purposent to Judgment detted Naruh 1h, 1968, and outseed in Los Angales Superior Court Case Sc. 650,079 settline "The City of Los Angales, Plaintiff vs. City of Sen Fernando, et al., Defendants", during the period communicing October 1, 1970 and sectioning to and including September 20, 1973.

(1) Liouance shall occurie está right and extract the same on behalf of Boise Casende Auring the period shows specified and put same to beneficial asse and liceance shall not by the smeries hereunder of said right acquire any right to extract water independent of rights of liceance.

(2) Liemone shall satify the Notermarter that said pumping done purposet to this liemone and provide the Notermarter with a copy of the Sotument.

(3) Licensee shall cote, in any recording of veter production for the period of agreement, that said pumping was done pursuant to this license.

Botto Coscode varrante that it has 30 ecre-fost of Sentricted Pumping and that it has not pumped and still not pump or permit or license any other purson to pump any part of said 30 ecre-fost during period of October 1. 1970 through Sentember 30. 1971.

DATES CHOLOR White Charles



While Sacondard Satus" To Savidera, Satur & Savidees 884 South Carthold & russe F. O. San 718

SPACE ABOVE THE LINE FOR SECONDER & USE

AMICHMENT OF RIGHT TO TAKE, DIVERT AND

FOI A V. LIAA LIA COME DEAT NOW, reason of union to universe expensionally and the CARCAGO STATEMENT CO. The CARCAGO STATEMENT CO. THE STA

SH WIT MIRE WELESOF, note corporation has anneed its apparance manand sent to be affined harms and this instrument to he succeted by its Asset. Sourcesy, horousts duly author-

DATAD: This 28th day of September, 1971.

BOBS CASCADE BUILDING CO.,
a Delaware corporation

By
THITTE IN AMERICA ARE: Soc.

By

OTATE OF CALEFORNIA | 00.

On the 28 they of September, 1971, before me, the understands, a binary Phable in and for set of Centry and disce, parsently spentered Alm Borreln Phable in the set of Centry and disce, parsently spentered Alm Borreln Proteindant, and Phable Control of the September September

WITHING my bond and official coni.

BETTE J LIVESAY
BOTAN PURSUE COUNTY
COR ANGEL ES COUNTY
CORROGATE SAME IN 1877

SUGGESTED SAMPLES OF DOCUMENTS FOR TRANSFERRING WATER RIGHTS

YEARLY ASSIGNMENTS PERMANENT TRANSFERS WATER USE LICENSE AGREEMENT DEED OF WATER RIGHTS JOHN DOE hereby grante to BILL SMITH: e license to extreut acre-fest of licensor's Restricted Pumping allocated to licensor For a velueble consideration, BILL SMITH hereby sells and (or predecessors in interest) under and pursuant to Judgment dated transfers to the JOHN DOE COMPANY: March 14, 1968, and entered in Los Angeles Superior Court Case No. 650,079 The Right to extract acre-feet of entitled "The City of Los Angeles, Plaintiff ve. City of San Fernando, grantor's Mutuelly Prescriptive Right (_____ acre-feet of et al., Defendants", during the period commencing October 1, 19 and Restricted Pumping) allocated to grantor (or predecessors in interest) continuing to and including September 30, 19_. under and pursuant to Judgment deted March 14, 1968, and entered in Seid Licence is granted, subject to the following conditions: Licensee shall exercise said right and extract the same on behalf of JOHN DOE during the period above specified and put the same to beneficial use and licensee shall not by the exercise hereunder of said right sequire any right to extract water independent of the rights of licensor. Los Angelee Superior Court Case No. 650,079 entitled "The City of Los Angeles, Plaintiff vs. City of San Fernando, st el., Defendants". (2) Licensee shall ootify the Wetermaster that ead pumping weed done pursuant to this license and provide the Watermaster with a copy of the document. DATED: __ (3) Licensee shall note, in any recording of water production for the period of agreement, that said pumping wes done pursuant to this license. JOHN DOE COMPANY BILL SMITH JOHN DOE warrante that he has scre-fest of Restricted Pumping and that he has not pumped and will not pump or permit or license any other person to pump any part of said ____ __ acre-feet during period By of October 1, 19 through September 30, 19_. Title Title (NOTARY) DATED: JOHN DOE BILL SMITH Title Title (WOTARY)



APPENDIX B

GROUND WATER EXTRACTIONS



								280	OUC7 ION						
1	STATE :	DESIG-		1970		1				1971					I TOTAL
1	NUMBER :	NAT10N	ı oct	1 NOA	; OEC	1 JAN	1 EER	I MAR	I APR	I HAY	1 JUNE	: JULY	1 AUG	# SEPT	1
	40.64	PANK. CIT	× 05			SA	N FERN	IANDO	BASIN						
1 8 /	144-092015	64		72.89	3,19	322.82	214.14	232.02	285.42	202.02	39.44	292.06	285.24	261.78	2272.73
1N/	14w-110015	7	125.14*	117.114	3.19 119.95* 31.14	123.72*	107.84*	116.50#	97.82*	117.51	116.30	115.53	110.34	261.78 102.16° 115.65	1369.92
18/	1-w-09H015	10	77.29	77.42	73.22	67.09	0	32.01	96.99	123.62	90.33	88.25	102.05	173.66	1001.93
IN/	14W-09M045	114	189.40	17.06	235.26	0	51.33	33.12 104.95 117.79	124.38	205.95	157.53 107.31	86.09 145.32	139.56	221.06 168.80	1202.95 1213.30
	14#-09K025	134 144	152.67 328.93	263.91	0	0	0	117.79	197.87	119.61	19.26	256.69 143.97	238.95	233.09	937.50
1N/	140-144085 140-094045 140-09L045	15 17 18	119.62 197.31 224.23	111.30 126.93 34.21	112.85 4.32 0	115.75 136.64 3.55	100.81 77.73 127.43	106.48 19.84 35.39	88.88 87.00 22.79	105.34 75.20 168.29	103.19 192.82 195.88	102.97 199.42 129.22	94.55 198.67 222.11	92.89 142.16 214.32	1259.63 1458.04 1377.42
	TOTALS		1476.30	H33.69	579.93	769.57	706.24	864.07	1096.47	1238.25	1203.20	1658.44	1669.09	1725.57	13820.62
	CAL	FORNIA M	ATERIALS	COMPANY											
212/	144-304015	4926-	23.23	18.85	14.41	25.76	22.05	27.45	24.58	20.00	21.17	24.28	23.21	24.67	273.66
	CON	SOLIDATED	FOCK PRO	OUCTS CO	MPANY										
	14w-30A035	2	65.36 57.83	50.54	45.83	63.62 56.64	52.15 45.46	74.37 67.33	59.13 51.68	62.80 53.77	94.86 3.28	91.99	88.86 55.86	81.44 57.39	830.95 565.15
	TOTALS		123.19	94.67	87.89	120.26	47.61	141.70	110.81	116.57	98.14	121.71	144.72	138.83	1396 • 10
	FOR	FST LAWN	CEMETERY	ASSN FT	Al										
11/	13w-33N035	4	37.47	21.53	3.72	7.05	14.36	21.64	32.77	79.49	42.80	45.22	45.24	40.15	357.44
15/	13w-33P015 13w-048015	6 7	9.42 14.21	6.03 9.00	1.45	1.82	3.99	7.23 13.06	7.73 13.70	0.66 11.81	10.46	11.69 14.57	12.24	10.43	91.15 139.59
	TOTALS		61.10	36.56	10.40	13.95	27.55	47.93	54.20	59.96	67.49	71.48	73.58	63.98	588-18
	Gt E	NDALF. CI	TY OF												
10/	13w-19J015 13w-19J045	STPT1 STPT2	8.53	.79 104.34	11.85	6.68	50.03 6.88	47.37	56.13 12.27	40.91 51.92	21.11	3.76	24.51	29.80 75.68	301.47 893.82
INV	1 3#-143042	GVFNT	11/16.64	630.04	602.12	726.10	630.96	751.57	638.94	831.36	1108.48	1666.71	1599.50	1113.70	11406.12
	T.TALS		1254.30	735.17	700.23	818.58	687.87	821.31	707.34	924.19	1208.95	1794.93	1724.36	1219.18	12601.41
	_		LIA DF MI												
5N\ 5N\	14w=054027 14w=05L015	CEREG	.2A* 4.43*	1.23*	•13°	.0A. 0	.37*	• 0 e		.75	.534		1.79	1.23*	6.50 5.66
	TOTALS		4.71	1.63	.13	.08	.37	.08	•11	.75	.53	.75	1.79	1.23	12.16
	<u> 1 1 v</u>	INGSTON-C	WAHAM. IN	ıc.											
	144-100015		19.53	17.21	9.84	15.93	14.92	16.07	17.81 45.95	17.14 37.50	18.12	20.24	21.67	20.75 39.70	211.23 458.14
	TOTALS	3.44 = C	45.40	47.92	40.88	51.38	53.38	59.02	63.76	54.64	59.68	67.17	65.69	60.45	669.37
100	13#-19K035	CS-S1	0	0	0	.30	.09	0	0	0	.02	0	.02	0	.42
1 11/	14=-24H035 14=-13F025	C5-52	121.340			.18*	37.860	101.24	174.47	11A.09	193.81	179.52	184.824	176.92*	1375.98
11/	11-4-053045	F - 1	0	0	.30	16.37	127.02	256.29	85.51	38.11	147.98	262.19	135.15	144.42	1213.34
	/14w-08L025	F=3 F=4	0	0	•16 •16	0 16.57	128.60	231.38	0	70.62	132.42	266.35	138.54	96.01 200.25	1324.34
	140-0HJ015	F-5 F-6	0	0	•16 •16	19.17	148.97	100.76 121.83	96.85	71.40	62.17	298.81 220.98	41.46	217.49 98.42	1261.74 779.13
18/	/14w-07J015	F-10	90.31	0	11	0	25.88	76.49	66.87	52.32	0	146.05	225.99	100.41	846.77 13.02
ZNI	/14#-14#015 /14#-13F045	FNHK1 FTHL2	n 0	0	0	0	20.25	0	0	0	0	0	0	0	20.25
1N/	/148-240045 /148-130055	H-27 LNGMR	109.41	48.78	0	0	30.88	0	0	0	0	0	0	0	158.19
IN	/1-4-06N015	NH-2	0	.21	0	0	U	143.34	10.67	9	61.62	188.48	0	90.70	299.89
IN	/15w-02k015 /14w-06P015	NH-5	ő	.05	0	0	Ö	36.00	0	ő	49.43	117.36 29.25	31.59	0 75.83	96.89 173.95
IN	/15w-02D015 /14w-06H015	NH-7 NH-11	0	.14	0	0	0	48.69	62.05	0	57.48	24.15	64.14	7.32	224.72
	/14w-060015 /14a-060035		0	.16	0	0	0	2.16 50.80	0 83.91	0	15.75 73.16	0	5.74 8.0H	39.07 54.71	62.88 270.94
10,	/154-01K015	NH-15	0	•11	0	0	0	42.42	3.12	0	23.37	1.17	0	0	70.19
10	/144-05N015 /144-05P025	NH-17	0	.21	0	0	0	18.20	41.71	.71	77.30 0	0	78.67	0	176.15
14	/14W-05P015 /14W-03R015	NH-1H	0	.32	0	0	0	19.79	84.48 81.01	.73	0	45.25	94.26	143.11	333.55 237.90
10.	/140-08A025	NH-20	0	.16	0	0	0	14.49	62.37	.69	0	34.37	71.74	0	183.77
IN.	/144-08A015	NH-21	0	.16	0	0	0	10.45	02.24	.04	0	132+34	0	U	233473

GROUND WATER EXTRACTIONS (CONTINUED) IN ACRE-FEET

							PROD	DUCTION						
: STATE :	DESIG-	-	1970		:				1971					TOTAL
: NUMBER :	NATION	: OCT	: NOV	: DEC	: JAN	: FEM	1 H4R	: APR	1 MAY	1 JUNE	\$ JULY	1 AUG	: SEPT :	
LOS ANG	ELES. CIT	Y OF									`			
1N/15W-010025	NH-52	0	.25	0	0	0	145.32	54.04	0	44.19	0	160.15	0	243.80 362.05
1N/15#-010035 1N/14#-06L015	NH-23 NH-24	0	.23	0	0	0	105.12	59.89	0	22.31 17.52	14.35 17.52	124.63	0	215.80
2N/14W-12C015	IGPLI	8.36	9.23	30.56	30.46	28.47	38.09	101.42	223.42	218.18	168.89	165.82	154.94 180.56	1177.84
1N/14W-22C015	V-1	0	0	.23 .25	137.03	171.79	209.99 276.74	103.19	89.23 115.96	199.75 259.04	199.08 261.36 238.77	252.00	228.31	1934.47
1N/14W-15P015	V-4	0	0	.14	8.33	222.06	261.36	129.75	86.98 Al.63	236.87	238.77	203.26	224.82	999.17 1883.46
1N/14W-228015		40.08	0	7.25 .02	179.02	39.23	69.33	34.04	21.17	67.22	64.10	61.25	57.16	453.60
1N/14W-21C015	V-16	80.65	0	•11 •23	101.65	158.33	178.54	88.68	79.80 60.38	173.05 130.53	163.77	152.92	141.62	1319.12
1N/14W-21H015	V-22 V-24	0	0	.09	43.55 13.25	182.44	216.32	51.49 109.48	95.34	211.82	214.26	212.17	205.21	1460.38
1N/14W-07A015	w-1	245.75	-21	0	0	138.93	133.98	92.17 93.62	46.90 46.79	180.95 183.52	334.30 350.99	167.63 178.83	152.02 168.85	1492.84
1N/14W-080019	₩-2 ₩-3	0	.18	0	0	77.62	129.87	77.89	39.23	152.32	290.01	269.88	137.70	1174.70
IN/14W-08F015	w-4	Ō	.30	.16	0	60.22	123.03	0	0	258.22 278.90	137.01 146.10	310.42	158.01 169.21	1047.07
IN/14W-08L015	w-5 w-8	0	0.50	0	0	0	0	0	ō	0	11.41	0	190.36	201.77
1N/14W-160015	w-9 w-10	0	0	.14	0	76.68	99.56	0	0	109.94 101.58 254.59	135.81	122.68 131.43 229.22	63.96 68.60	608.77 447.52
IN/14W-24F065	H-25	57.05	0	0	ō	ō	75.99	258.15	266.87	254.59	251.38	229.22	217.98	1611.23
IN/14W-240039	H-26	145.20	32.71	92.86	216.14	242.88	202.48	0	119.61	279.96	277.09	251.38	237.14	2097.45
15/13W-04L049 15/13W-04L039	P=6	0	0	0	0	43.39	0	0	0	0	0	0	ō	43.39
15/13W-04K019	P=7	ō	0	0	0	27.20	100 17	65 70	0	28.47	198.92	0	0 157.74	27.20 631.28
1N/15W-01P049		0	.16	0	0	0	180.17 165.08	65.70 60.74	0	49.20	0	ō	0	275.18
1N/14W~06R05S	NH-27	0	-11	0	0	0	15.82	178.95	0	48.30 128.54	3.88	66.76	118.48	249.47 326.13
1N/14W-06R075	NH-28	0	.16	0	0	0	14.60	1/8.95	0	24.49	3.00	91.90	62.03	192.52
IN/14W-06P025	NH-31	0	.30	0	Ō	0	15.27	0	0	0	327.53	0	0	343.10 155.63
1N/14W-06N025		0	•21 •21	0	0	0	75.76 45.18	11.73	0	67.93 70.80	155.90	0	105.65	377.94
1N/15W-02R02S	5 NH-33	n	.14	q	0	0	42.49	0	0	21.81	140.96	0	.109.71	315.11
1N/15W-01K025	NH-34	227.16	94.12	0	330.81	371.56	77.94 426.77	12.12	414.72	64.88 427.57	3.54 429.98	407.94	393.48	158.66 3938.25
1N/14W-08A035	NH-35	0	-11	0	0	0	10.97	28.12	0	48.88	116.69	0	0	204.77
1N/15W-01K049	NH-36	0	.30 .25	0	0	48.15 42.19	34.94 29.09	0	0	2.02 2.07	283.08 115.40	0	ŏ	239.00
1N/14W-24D065	5 H-29	303.42	356.13	157.83	346.99	389.69	444.79	430.67	324.04	0	155.76	445.25	429.87	3784.44
1N/13W-19	5 C5-CM 5 DG3-4	35.58 56.70*	50.05	1.03*	180.21 80.46*	408.63	563.59 298.21•	493.57	464.88 0*	435.26 87.24*	423.78 0*	382.92	355.37	755.51
1N/14#-06007	S NH-38	0	0	2.39	1.12	0	0	0	0	0	4.50	0	2.34	8.01
1N/14w-06K01	5 NH-40	193.20 298.78	449.36	0	0	256.75 253.58	276.26	0	.92	303.12	308.26	115.68	28.44	1813.42
1N//14-W06K0	3 NH-41	0	0	Ô	ō	0	0	216.15	0	0	0	0	205.42 8.43	421.60 8.43
1N/14W-05K04	5 NH-42	0	0	0	0	0	0	0					0.43	0.43
TUTALS		2012.99	1131.50	431.12	1914.74	4707.85	7174.72	4425.66	2995.37	6948.45	8746.30	6771.05	6671.80	53931.55
LO	S ANGELES	. CITY OF	(RES	EDA) **										
2N/16W-34K02	5 R-5	12.17	11.29		.07	0	0	0	0	0	0	27.73	27.96	79.22
2N/16W-27P02	5 R-6	9.53	8.36	0	.02	0	0	0	•02	•05	0	27.73 22.98 55.60	25.02	65.95
1N/16W-03003		32.71 27.59	28.93 24.01	0	.05	0 • 05	0	0	.02	0	0	44.77	66.57 45.13	183.88
2N/16W-21702	5 P-9	19.88	17.86	0	1.95	• 39	.71	ō	2.80	0	0	25.55	23.55	92.69
1N/16W-03G04	5 P-10	5.83	0	0	0	0	0		0	0	0	0	0	5.83
TUTALS		107.71	90.45	0	2.11	.44	.71	0	2.84	.04	0	176.63	188.23	569.16
HE	NA JOHN	AND BAPBAR	P.A.											
2N/14W-11N01	5 4473.1	.08*	09	.08	.089	.081	.08	.08*	.084	.08	.08	.081	.08*	•96
5.45 1-4-11401	2 49730	•00-	•07	***										
91	VERWOOD R	ANCH HUTUA	L WATER	CUMPANY										
								1.62	1.48	1.68	.90	1.18	1.41	14.33
2N/14W-11A01	5 4982-	2.36	-11	•25	1.20	.88	1.26	1.62	1.40	1.00	. 90	1.10	1.41	14133
<u> </u>	ARS ROFBL	JCK AND COM	IPANY											
1N/13w-20R01	5 3945-	26.91	21.36	7.67	10.96	9.61	17.77	26.39	20.90	25.69	37.84	21.48	33.02	254.60
50	UTHERN SE	RVICE COMP	PANY											
1N/13W-20F01	S METRI	2.53	1.92	2.17	2.19	2.10	2.54	2.34	2.43	2.61	2.11	2.54	2.19	27.66
1N/13W-20F01	5 METR2	2,72	2.12	2.19	2.12	2.10	2.46	2.45	2.15	2.71	2.27	2.31	2.21	27.81
1N/13w-20F01	S METR3	2.54	2.47	2.35	2.33	2.18	2.56	2.48	2.48	2.84	2.70	2.84		
TOTALS		7.79	6.51	6.71	6.63	6.38	7.56	7.27	7.06	8.16	7.08	7.69	7.09	85.93
55	UNTSHENS	LODGE . INC	COMPORATI	<u>E0</u>										
1N/15W-25001	s !	1.65	1.24	.77	1.81	1.24	2.44	2.01	.97	.82	1.10	2.81	2.30	19.16

GROUND WATER EXTRACTIONS (CONTINUED) IN ACRE-FEET

							PRO	DUCTION						
: STATE :	DESIG-		1970		1				1971					TOTAL
1 NUMBER 1	NATION	1 007	: NOV	: 0EC	1 JAN	1 FEB	T MAR	1 APR	1 MAY	1 JUNE	: JULY	8 AUG	1 SEPT	i
TOLU	CA LAKE	PHAPERTY	DWNERS A	SSN										
1N/14W-2HH01S	3845F	.61	.99	.70	1.45	1.85	2.80	3.98	2.73	4.82	4.98	3.40	1.97	30.28
VAL	HALLA MEM	OHIAL PAR	łĸ											
IN/14#-04N035	4	14.47	3.21	0	0	.06	17.58	23.53	24.21	34.97	36,61	39.60	19.95	214.19
1N/14W-090065	2	14.47	3.21	0	1.02	•40	17.71	25.15	24.84	34.97	37.56	39.60	19.95	4.75
MINES		14.47	3+21	Ů	1.02	• 40	17.71	22.12	24.04	34.71	3/436	37.60	19.95	218.94
	DE KAMPS	HOLLANO			-									
15/13W-04G015	1	.36•	.36*	•36•	.36	6.02	7.42	7.45	A.18	6.20	2.07	•02	.03	38.83
WALT	OISNEY	PRODUCT10	INS											
19/14#-23E015 19/14#-23E025	EAST WEST	31.15	59.19 109.75	32.50 93.29	A7.07 56.17	112.74	35.32	38.76	32.22 58.72	105.39	119.51 86.59	111.08	148.14	916.07 1058.60
TOTALS	WC31	144.94	168.94	125.79	143.24	134.89	128.55	169.99	90.94	172.53	206.10	229.41	259.35	1974.67
													237433	17.4.07
WEST	COX	17.63	550C1AT1	0N (NON)	PARTY)		12.15							
	NW 4AN 5PAC6	1.06	6.03	.03	3.96 0 0	6.33 1.92	13.65	11.19	16.33	9.96	15.15	17.56 .97	1.02	131.91 53.56
	5F 4	0	13.60	20.50	23.04	19.30	22.50	5.15	7.84	4.50	1.79	0	1.67	26.75 118.71
TOTALS		35.28	25.64	20.68	27.00	27.55	36.87	34.34	40.71	28.93	17.95	18.53	17.45	330.93
wo16	HT. J MA	RION. EST	ATE OF											
1N/13w-32E025	3937F	.030	0.	0	0	0	0	0	0	0	0	0	0	.03
SUBTOTALS SAN FERNA		5343.41		2032.00		6492.32		6761.21		9891.53	,	0979.32		
	NDO BASIN		3218.68		3910-18		9359.45	2101451	5610.46	7071.33	2800.72	1	0436.59	86875.87
	INDO BASIN		3218.68		3910.18		9354.45	3101121	5610.46	1.	2800.72	1	0436.59	86835.87
	INDO BASIN		3218.68		3910.18		9359.45		5610.46	1	2800.72	1	0436.59	86835.87
	INDO BASIN		3218.68		3910.18		9354.45 R BASI		5610.46	1	2800.72	1	0436.59	86835.87
		F HUILDIN	3218.68		3910.18		9359.45		5610.46	1.	2800,72	1	0436.59	86835.87
			3218.68		3910.1A		9359.45		1.80*	2.12*	2.61*	1	0436,59	19.24
8015 3N/15=-256015	SE CASCADI	1.00°	3218.68	<u>Y</u>	3910.18	SYLMA	R BASI	N	5610.46	<u>ī</u>	2800.72	1		
8015 3N/15=-256015	SE CASCADI	1.00°	3218.68	<u>Y</u>	3910.18	SYLMA	R BASI	N	5610.46	<u>ī</u>	2800.72	1		
80154-256015 800154-256015 800134-34035	SE CASCADI 3 IN- CHARLI	1.80° 1.50°	3218.68 IG COMPAN 1.49°	Y 1.48*	3910.1A	SYLMA ≥.37°	R BASI	N 2•85•	1.80*	2.12*	2.61*	0	0	19.24
80154-256015 800154-256015 800134-34035	SE CASCADI 3 IN- CHARLI	E HUILOIN 1.80°	3218.68 IG COMPAN 1.49°	Y 1.48*	3910.1A	SYLMA ≥.37°	R BASI	N 2•85•	1.80*	2.12*	2.61*	0	0	19.24
80154-256015 3N/154-256015 3N/154-346035 CMUR 3N/154-204015	TO THE PER SECOND SECON	1.80° 1.50° 1.50° 27.31	3218.68 IG CUMPAN 1.49* .65* 1 OF L O	1.44° 0° 5AINT5	n°	SYLMA 2.37*	R BASI 2.72•	N 2.85°	1.80*	2.12*	2.61°	0	0	19.24
80154-256015 8000 3N/154-256015 CMUR 3N/154-200015 FIDE	IN CHAPI	1.80° 1.50° 5.5 T 1.50° 505 CHR15 27.31	3218.68 16 COMPAN 1.49* .65* 7 OF L 0 16.62	1.4A. 0. SAINTS 2.88 AN ASSN.	.52*	SYLMA 2.37* 1.10*	R BASI 2.72* .69*	.22°	1.80*	1.45°	2.61° 2.17°	0 1.99*	.72°	19.24
8015 3N/154-256015 8003 3N/154-34N035 CMUR 3N/154-204015	TO THE PER SECOND SECON	1.80° 1.50° 1.50° 27.31	3218.68 IG CUMPAN 1.49* .65* T OF L O	1.44° 0° 5AINT5	n°	SYLMA 2.37*	R BASI 2.72•	N 2.85°	1.80*	2.12*	2.61°	0	0	19.24
8015 - 256015 3N/15 - 256015 3N/15 - 256015 4000 3N/15 - 256015	IN CHAPIT	1.80° 1.80° 1.50° 1.50° 27.31 27.31 27.31 0	3218.68 16 CUMPAN 1.49* .65* 7 OF L 0 16.67 NGS + L0	1.440 00 5AINT5 2.88 AN ASSN.	.52*	SYLMA 2.37* 1.10*	R BASI 2.72* .69*	.22°	1.80*	1.45*	2.61° 2.17°	0 1.99*	.72°	19.24
8015 - 250015 3N/15 - 250015 3N/15 - 250015 3N/15 - 250015	IN CHAPT I	1.80° 1.80° 1.50° 1.50° 27.31 27.31	3218.68 16 COMPAN 1.49* .65* 7 OF L 0 16.62	1.4A. 0. SAINTS 2.88 AN ASSN.	.52*	SYLMA 2.37* 1.10*	R BASI 2.72* .69*	.22°	1.80*	1.45*	2.61° 2.17°	0 1.99*	.72°	19.24
3N/154-250015 3N/154-340035 3N/154-200015 3N/154-250015 3N/154-250015	TOTAL TERMINATION OF THE STATE	1.80° 1.80° 1.50° 1.50° 27.31 27.31 27.31 0	3218.68 1.49° .65° 1.62° NGS + LO	1.4A= 0= SAINTS 2.88 AN ASSN. 0	.52-	SYLMA 2.37* 1.10* 0	R BASI 2.72* .69*	.22°	1.80° 1.11° 16.7*	2.12° 1.45° 31.30	2.61° 2.17° 27.20	0 1.99° 38.68	0 .72° 23.2H	19.24 12.12 212.81 2.51
3N/154-250015 3N/154-340035 3N/154-200015 3N/154-250015 3N/154-250015	TOTAL TANGENTS OF THE STATE OF	1.50° 1.50° 1.50° 27.31 27.31 0 CITY OF	3218.68 1.49° .65° 1.62° NGS + LO	1.4A= 0= SAINTS 2.88 AN ASSN. 0	.52-	SYLMA 2.37* 1.10* 0 0 262.08	R BASI 2.72* .69*	N 2.85° .22° 6.67	1.80*	2.12° 1.45° 31.30 0	2.61° 2.17° 27.20	0 1.99° 38.68	0 .72° 23.2H	19.24 12.12 212.81 2.51
##15 3N/15=-256015 3N/15=-346035 CMUM 3N/15=-204015 3N/15=-256015 2N/15=-36F 5	OCH OF JEIN SAMELES ANGELES AN	1.50° 1.50° 1.50° 27.31 27.31 0 CITY OF 6	1.49° .65° 1.662 0.65° 1.662 0.65° 0.65°	Y 1.449 00 00 SAINTS 2.88 AN ASSN. 0 0 0 F 50 CAL	0 0 0 (NONPAR	SYLMA 2.37* 1.10* 0 0 262.08	R BASI 2.72* .69* 22.09	N 2.85° .22° 6.67	1.80*	2.12° 1.45° 31.30 0	2.61° 2.17° 27.20	0 1.99° 38.68 1.57°	0 .72* 23.2H 1.24	19.24 12.12 212.81 2.51 2645.35
##015 3N/154-250015 3N/154-204015 3N/154-250015 3N/154-250015 2N/154-36F S METR 3N/154-36F S	I CHAPLING AMERICAN LINE TO THE PROPERTY OF TH	1.50° 1.50° 1.50° 27.31	1.49°65° 1 0	Y 1.44* 0* SAINTS 2.88 AN ASSN. 0 0 F SO CAL 5.43	0 (NONPAR 8-93	2.37° 1.10° 0 0 262.08 TY) 55.68°	R BASI 2.72* .69* 22.09 0 425.90	N 2.85° .22° 6.67 0 409.80 105.93°	1.80° 1.11° 16.7# 0 409.25	2.12° 1.45° 31.30 0 347.19 72.25°	2.61° 2.17° 27.20 0 373.05 65.07°	0 1.99° 38.68 1.57° 378.08	0 .72* 23.2H 1.24 0 49.98*	19.24 12.12 212.81 2.+1 2645.35
3N/15=-250015 3N/15=-250015 3N/15=-20015 3N/15=-250015 2N/15=-36F 3N/15=-36F 3N/15=-34015 3N/15=-34015	I CHAPLISM AMOSFLESS MISSN TONN TONN FEANAGOO 1 2 3	1.50° 1.50° 1.50° 27.31	3218.68 1.49* 1.49* 1.65* 1.662 0 0 <initio 0="" 122.94<="" 22.66="" 4.76="" 6.70="" td=""><td>Y 1.44* 0.00 SAINTS 2.88 AN ASSN. 0 0 F SO CAL 5.43</td><td>0 (NONPAR 8-93 72.39</td><td>2.37° 1.10° 0 0 262.08 TY) 55.68°</td><td>9359.45 R BASI 2.72* .69* 22.09 0 425.90 177.46*</td><td>N 2.85° .22° 6.67 0 409.80 105.93°</td><td>1.80° 1.11° 16.78 0 409.25 41.79°</td><td>2.12° 1.45° 31.30 0 387.19 72.25°</td><td>2.61° 2.17° 27.20 0 373.05 65.07°</td><td>1.99° 38.68 1.57° 378.08 60.48°</td><td>0 .72° 23.2H 1.24 0 49.98°</td><td>19.24 12.12 212.81 2.51 2645.35 692.27 145.67 209.88 425.80</td></initio>	Y 1.44* 0.00 SAINTS 2.88 AN ASSN. 0 0 F SO CAL 5.43	0 (NONPAR 8-93 72.39	2.37° 1.10° 0 0 262.08 TY) 55.68°	9359.45 R BASI 2.72* .69* 22.09 0 425.90 177.46*	N 2.85° .22° 6.67 0 409.80 105.93°	1.80° 1.11° 16.78 0 409.25 41.79°	2.12° 1.45° 31.30 0 387.19 72.25°	2.61° 2.17° 27.20 0 373.05 65.07°	1.99° 38.68 1.57° 378.08 60.48°	0 .72° 23.2H 1.24 0 49.98°	19.24 12.12 212.81 2.51 2645.35 692.27 145.67 209.88 425.80
##15 ####15 ########	CH OF JF: 1 CH OF JF: 1 CH OF JF: 1 CHITY FEDI 3 ANGFLES. WISSN COPOLITAN TUNNL FERNACIOD. 1 2	1.50° 505 CHHIS 27.31 27.31 27.31 27.31 27.31 27.31 27.31 27.31 27.31 38.50 38.50 38.50 38.50	3218.68 1.49* 1.49* 1.65* 1.662 0.65* 0.70 4.76 22.66 6.70 122.94 137.94	Y 1.44* 0.00 SAINTS 2.88 AN ASSN. 0 0 F 50 CAL 5.43 20.41 H5.25 .01 48.30 64.30	0 (NONPAR 8.93 72.39 44.81 054.44	2.37° 1.10° 0 0 262.08 TY) 55.68° 29.73 16.23 18.35	9359.45 R BASI 2.72* .69* 22.09 0 425.90 177.46*	0 409.80 105.93*	1.80° 1.11° 16.7H 0 409.25	2.12* 1.45* 31.30 0 387.19 72.25*	2.61° 2.17° 27.20 0 373.05	38.68 1.57° 378.08 60.48°	0 .72° 23.2M 1.24 0 49.98° 49.23 53.07 0	19.24 12.12 212.61 2.12 2645.35 692.27 145.67 209.88 425.80 390.59
3N/15+-25G015 3N/15+-20H015 3N/15+-20H015 3N/15+-25G015 3N/15+-36F 5 3N/15+-36F 5 3N/15+-34F015 3N/15+-34F015 3N/15+-34F015	TUNNL ANGELES ANGEL	1.50° 5.1 1.50° 5.1 27.31 27.31 27.31 6.4 SAVI 0 4.51 4.51 1.60.31 58.20	3218.68 1.49° 1.49° 1.65° 1.662 0.0 CTHICT 0.670 122.94 10.70	Y 1.44* 0.00 SAINTS 2.88 AN ASSN. 0 0 F 50 CAL 5.43 20.41 M5.25 48.30 11.06	0 (NONPAR 8.93 22.39 44.81 54.44 0	2.37° 1.10° 0 262.08 TY) 55.68°	9359.45 R BASI 2.72* .69* 22.09 0 425.90 .7.33 0 6.26 0	0 409.80 105.93*	1.80° 1.11° 16.7M 0 409.25 A1.79°	2.12° 1.45° 31.30 0 387.19 72.25°	2.61° 2.17° 27.20 373.05 65.07°	1.99° 38.68 1.57° 378.08 60.48°	0 .72° 23.2H 1.24 0 49.98°	19.24 12.81 212.81 2.51 2645.35 692.27 145.67 209.88 425.80 425.80 426.80 478.16
3N/15=-256015 3N/15=-256015 3N/15=-256015 3N/15=-256015 2N/15=-36F 3N/15=-36F 3N/15=-346015	CHAPTION ANGELEANACION TUNN FE-INACION 7	1.50° 505 CHH15 27.31 27	3218.68 1.49* 1.49* 1.65* 1.662 0.65* 0.70 4.76 22.66 6.70 122.94 137.94	Y 1.44* 0.00 SAINTS 2.88 AN ASSN. 0 0 F 50 CAL 5.43 20.41 H5.25 .01 48.30 64.30	0 (NONPAR 8.93 72.39 44.81 054.44	2.37° 1.10° 0 262.08 TY) 55.68° 29.73 16.23 18.35 18.35	9359.45 R BASI 2.72* .69* 22.09 0 425.90 177.46*	0 409.80 105.93*	1.80° 1.11° 16.7H 0 409.25	2.12* 1.45* 31.30 0 387.19 72.25*	2.61° 2.17° 27.20 0 373.05	1.99° 38.68 1.57° 378.08 60.48°	0 .72° 23.2H 1.24 0 49.98° 2.19 42.23 53.07 0 0	19.24 12.81 212.81 2.12 2645.35 692.27 145.67 209.88 425.80 390.59

TABLE 8-1 GROUNG WATER EXTRACTIONS
IN ACRE-FEET

PRODUCTION

1971

TOTAL

					У	VERDUG	O BAS	IN						
			4	4										
CHESCE	ENTA VAL	LLEY COUNT	Y WATER	DIST										
130-330035	1	40.43	32.78	42.79	31.48	39.69	41.48	35.41	35.51	38.87	50.12	51.04	31.85	471.45
13w-29F025	2	.49	0	•6A	0	•46	0	0	0	.91	0	.29	•64	3.4
134-294015	4	0	0	0	0	0	•52	0	0	0	0		16.38	16.60
13w-33C0n5	5	40.81	36.31	29.21	19.04	29.21	26.07	37.28	33.24	37.21	47.86	61.73	60.21	458.1
13w-33R035	6	0	0	1.13	.08	0	.14	0 00	0	.10	.03	63.30	43.00	2.7
13w-33C015	7	38.12	32.07	30.04	22.16	38.81	43.52	40.92	36.97	40.98	51.00	52.39	43.98	470.9
13W-03D055	H	28.58	27.91	30.22	36.47	24.76	37.48	29.37	31.67	21.98	38.62	46.20	32.86	390.1
13w-20N015	9	0	.07	6.64	0	35 80	1.09	58.53	0 51.75	61.04	.01 80.97	94.01	6.66	14.4 586.7
13w-33R055	10	34.26	34.01	18.73	9.46	35.80	46.99		3.31	23.54	45.31	94.01 52.62	61.18	305.2
13w-33G015	11	46.61	44.64	27.15	14.91	1.57	2.81	0			45.31		5.94	305.2
13w-33k065	12	0	0	0	0	0	. 15	0	3 30	.26 5.29		0	19.29	118.1
13w-33R015	14	25.81	22.69	7.61	.08	1.36	3.39	5.86 9.01	3.30	7.13	10.41	14.10 13.97	16.21	118.1
F-5-10N	PICK	15.70	14.99	14.88	15.42	10.20	10.21 4.37•	9.01 3.94*	8.13	7.13 3.45*				40.0
/FU5-10N	DIINS	5.32*	5.50*	0-	2.10*	3.32	4.31	3.74	2.04	3.73	3,27	2670	3.13	7000
TOTALS		276.13	250.97	209-08	152.00	189.18	217.92	220.32	206.52	240.76	334.74	389.31	340.51	3027.4
GLEND	ALE. CI	TY OF												
	GL 3-4	148.18	141.76	176.87	173.93	90.56			154.97	169.43	168.78	175.12	169.53	1900.9
	VPCKP	132.20	128.54	134.85	135.14	121.56	139.05	117.68	131.82	127.02	131.55	129.34	119.44	1548.
								/	-	4	-	4		
TOTALS		280.38	270.30	311.72	309.07	212.12	305.89	282.67	286.79	296.45	300.33	304.46	288.97	3449.
SU8TOTALS		556.51		520.80		401.30		502.99	4	537.21	4	693.77		
VERDUGO BAS	in		521.27	-	461.07		523.81		493.31		635.07		629.48	6476.

[¥] Estimated

: STATE : OWNERS :

1970

^{**} Extractions not chargeoble against City of Los Angeles' Water Right Entitlement

** Includes nonporty extractions and extractions from Reseda wells by City of Los Angeles

APPENDIX C

MEAN DAILY DISCHARGE

AT

KEY SURFACE RUNOFF

GAGING STATIONS



Pay	: October :	November	: December	: January	: February	: Merch	: April	: May :	June	: July	: August :	Septembe
1	15.0	22.0	100.0	20,0	13.0	130.0	23.0	37.0	27.0	39.0	32.0	24.0
2	15.0	21.0	527.0	20.0	11.8	150.0	22,0	28.0	33.0	41.0	28.0	23.0
3	16.5	33.0	20.0	20.0	11.8	150.0	18.4	28.0	31.0	42.0	30.0	20.0
l ₄	42.0	25.0	20.0	20.0	11.8	130.0	1€.5	35.0	27.0	41.0	27.0	16.5
5	26.0	21.0	20.0	20,0	12.4	119.0	26,0	34.0	11.1	42.0	27.0	15.6
6	11.8	20.0	20.0	20.0	14.3	138.0	43.0	142.0	7.8	61.0	30.0	124.0
7	7.4	20.0	20.0	20.0	11.8	138.0	20.0	82.0	11.8	74.0	43.0	45.0
8	7.4	20.0	20.0	20.0	15.6	150.0	18.4	35.0	14.3	89.0	13.7	17.4
q	8,3	20.0	400.0	20.0	150.0	157.0	18.4	20.0	15.0	96.0	18.4	13.0
10	8.3	20.0	20.0	20.0	487.0	157.0	15.6	25.0	20.0	90.0	23.0	15.€
11	16.5	20.0	20,0	20.0	293.0	163.0	15.6	32.0	15.t	91.0	18.4	13.7
12	12.4	20,0	20.0	674.0	200.0	169.0	14.3	34.0	15.¢	88.0	23.0	11.8
13	13.7	20.0	20.0	317.0	157.0	844.0	46.0	37.0	14.3	86.0	43.0	11.8
14	13.7	20.0	201.0	84.0	35.0	150.0	751.0	38.0	11.1	58.0	31.0	13.7
15	13.0	20.0	20.0	43.0	59.0	138.0	50,0	49.0	49.0	61.0	9.8	15.0
16	15.0	20.0	171.0	25.0	485.0	108.0	43.0	37.0	58.0	74.0	13.7	15.6
17	37.0	20.0	385.0	21.0	649.0	50.0	41.0	31.0	50.0	50.0	18.4	13.7
18	16.5	20.0	3300.0	12.0	50.0	43.0	39.0	37.0	49.0	43.0	19.3	15.0
19	18.4	20.0	3650.0	13.0	45.0	22.0	26.0	41.0	41.0	58.0	34.0	11.1
20	21.0	20.0	20.0	12.0	33.0	15.0	43.0	46.0	35.0	65.0	20.0	15.0
21	19.3	20.0	4140.0	12.0	26.0	24.0	31.0	42.0	42.0	70.0	14.3	14.3
22	21.0	20.0	20.0	10.0	22.0	73.0	35.0	35.0	47.0	70.0	11.1	14.3
23	18.4	20.0	20.0	9.0	25.0	31.0	43.0	32.0	45.0	72.0	13.7	16,5
24	14.3	20.0	20.0	10.0	14.3	25.0	35.0	34.0	45.0	64.0	14.3	12.4
25	15.6	20.0	20.0	11.0	12.4	37.0	26.0	45.0	42.0	61.0	37.0	9.8
26	17.4	1070.0	20.0	19.0	9.2	37.0	46.0	39.0	35.0	77.0	13.7	10.5
27	19.3	26.0	20.0	19.0	68.0	82.0	51.0	35.0	31.0	74.0	20.0	11.8
28	22.0	2450.0	20.0	32.0	157.0	50.0	33.0	137.0	37.0	82.0	15.0	10.5
29	22.0	12870.0	20.0	20.0	27110	39.0	34.0	42.0	38.0	74.0	13.7	10,5
30	23.0	736.0	20.0	16.0		27.0	34.0	28.0	41.0	70.0	18.4	10.5
31	23.0	130.0	20.0	12.0		18.4	34.0	24.0	41.0	46.0	21.0	10.)
J=	-510											
otal	550.2	17674.0	13320.0	1591.0	3079.4	3565.0	1658.2	1341.0	939.6	2055.0	694.9	571.6
n Daily acharge	17.7	589.0	430.0	51.3	110.0	115.0	55.3	43.3	31.3	66.3	22.4	19.1
. Meen D	ailv											
ischarge		12870.0	4140.0	674.0	640.0	844.0	751,0	142.0	58.0	96.0	43.0	124.0

Runoff in Acre-feet 1090.0 350±0.0 26420.0 3160.0 6110.0 7070.0 3290.0 2660.0 1860.0 4080.0 1380.0 1130.0 Maximum Stage 12.18 feet at 1148 on Nov. 29, 1970. Discharge 41,500 second-feet Total Acre-feet 1970-71 (93310.C)

Min. Mean Daily
Discharge 7.4 20.0 20.0 9.0 9.2 15.6 14.3 20.0 7.8 39.0 9.8 9.8

Day :	October	. November	December	: Jamiary	; February	: March :	April	: May	: June	: July	: August :	Septembe
Duy .	october.	, northori	, peedilbe;	. oundary	, , , , , , , , , , , , , , , , , , , ,			· 1				
1	2.1	3.3	200.0	17.7	33.0	33.0	3.6	4.0	8,2	6.7	10.6	9.7
2	2.3	3.2	200.0	17.7	31.0	33.0	3.6	4.2	8.3	6.7	10.6	9.1
3	2.5	3.1	200.0	17.7	30.0	32.0	3.6	4.4	8.3	6.7	10.6	9.£
4	2.7	3.0	187.0	17.7	30.0	32.0	3.6	4.6	8.2	6.7	10.0	9.5
5	2.9	3.0	166.0	17.7	30.0	32.0	3.6	4.9	8.1	6.7	10.5	9.5
6	3.1	3.1	100.0	17.7	29.0	32.0	3.6	6,6	8.0	6.7	10.5	9.5
7	3.2	3.2	84.0	17.7	29.0	32.0	3.6	6.8	7,9	6.7	10.5	9.4
8	3.3	3.3	162.0	17.7	29.0	32.0	3.6	7.0	7.8	6.7	10.4	9.4
								7.2	7.7	6.7	10.4	9.4
9	3.2	3.4	204.0	17.7	28.8	32.0	3.6				10.4	
10	3.2	3.5	148.0	17.7	28,8	32.0	3,6	7.4	7,6	6.7	10.4	9.3
11	3.1	3.6	23.3	17.7	19.6	31.5	3.6	7.5	7.5	6.7	10,4	. 9-3
12	3.1	3.7	0.0	27.9	0.0	31.5	3.6	7.5	7.4	6.7	10.3	9.2
13	3.0	3.7	0.0	48.7	0,0	31.5	3.6	7.5	7.3	6.7	10.3	9.2
14	3.0	3.7	0.0	48.0	0.0	31.5	3.6	7.5	7.2	2.5	10.3	9.0
15	2.9	3.7	0.0	47.0	0.0	31.5	3.6	7.5	7.1	0.0	10.2	8.9
16	2.9	3.8	0.0	46.0	0.0	31.5	3.6	7.5	7.0	0.0	10.2	8.9
17	3.0	3.8	0.0	45.0	0.0	31.5	3.6	7.5	7.0	0.0	10.2	8.9
18	3.0	3,8	0.0	44.0	0.0	31.5	3.6	7.5	7.0	6,7	10.2	8.9
19	3.0	3.8	0.0	43.0	24.4	19.9	3.6	7.5	7.0	10.8	1C.2	8.9
50	3.1	3.8	0.0	42.0	36.8	3.3	3.6	7.5	7.0	10,8	10.1	8.9
21	3.1	3.9	0.0	41.0	36.8	3,3	3.6	7.5	6.9	10.8	10.1	8.8
55	3.1	3.9	0.0	40.0	35.0	3,3	3.6	7.5	6.9	10.8	10.1	8.8
23	3.2	3.9	0.0	39.0	35.0	3.3	3,6	7.5	6.9	10.8	10.0	8.8
	3.2		9.5	38.0	35.0	3.3	3.6	7.5	6.8	10.8	10.0	5.4
24 25	3.2	3.9 3.9	17.7	37.0	34.0	3.3	3.6	7.6	6.8	10.t	10.0	0.0
26	3.3	3.9	17.7	37.0	34.0	3.3	3.6	7.7	6.8	10,6	9.9	0.0
				37.0	34.0	3.3	3.6	7.8	6.7	10.6	9.9	5.4
27	3.3	3.9	17.7					7.9	6.7	10.6	9.9	8.6
28	3.4	2.8	17.7	37.1	33.0	- 3.3	3.6				9.8	3.8
29	3.4	99.0	17.7	36.0		3.3	3.6	8.0	6.7	10.6		8.6
30 31	3.4	200.0	17.7	35.0 34.0		3.3 3.3	3.8	8.1	6.7	10.6 10.6	9.8 9.7	0,0
												248.0
otel	94.6	398.6	1801.7	997.4	656.2	633.5	108,2	217.4	219.5	235.3	31t.7	240.0
n Daily	3.1	13.3	58,1	32.2	23.4	20,4	3.6	7.0	7.3	7.8	10.2	8.3
	-	43.3	50.1	31. + 6.	- 3+-	201-	3.0					
. Mean De Discharge	aily 3.4	200,0	501.0	49.0	37.0	33.0	3.8	8.2	8.3	10.8	10.6	9.7
. Mesn De	aily 2.1	2.8	0,0	17.7	0,0	3.3	3,6	4.0	6.7	0.0	9.7	0.0
				3101		3.3						
noff in re-feet	188.0	790.0	3574.0	1978.0	1302.0	1257.0	215.0	431.C	435.0	467.0	628.0	492.0

No instantaneous discharge. Flows were mostly dam releases.

Total Acre-feet 1970-71 (11,760.0)

Station 252			М	EAN DAILY	DISCHARGE OF I	verbugo second		ENTELLE	STREET			
		: November	: December	: Јапиагу	: February :	March	: April	: May	June	: July :	August	: September
1 2 3 1 ₁	3.9 3.9 7.8 2.8	9.5 9.5 10.6 11.7 12.9	5.0 48.0 2.3 3.9	7.3 8.4 2.8 2.3 2.3	2.5 2.3 2.3 2.0	2.8 2.8 2.8 2.8 2.8	2.8 2.8 2.8 2.8	2.3 2.5 2.8 3.9 3.9	2.8 2.8 2.8 2.8	2.8 3.9 3.9 3.9 5.0	3.9 3.9 3.9 5.0	3.9 2.8 2.8 2.8 2.8
7 8 9	3.4 2.8 2.8 2.8 2.8	52,0 7.3 6.2 7.3 6.2	2.8 2.8 3.9 22.0	5.0 5.0 3.9 2.3 2.6	2.0 2.0 3.9 2.8 2.8	2.8 2.5 2.5 2.5 2.5	2.8 2.8 3.9 3.9 5.0	17.1 7.2 2.5 2.3 2.3	2.8 2.8 2.8 2.8	3.9 3.9 3.9 3.9 3.9	5.0 6.2 6.2 6.2 6.2	2.8 2.8 2.8 2.8 2.8
11 12 13 14 15	2.8 2.8 3.9 3.9	6.2 5.0 2.8 2.8 2.8	2.5 2.5 2.5 8.4 2.8	2.0 110.0 12.9 8.4 3.9	8.8 8.8 8.8 8.8	2.5 109.0 5.0 5.0 5.0	5.0 5.0 5.0 39.0 2.3	2.0 2.0 2.3 2.5	7.3 5.0 2.5 2.8	3.9 3.9 3.9 5.0 5.0	3.9 3.9 3.9 3.9	2.8 2.8 2.8 2.8 3.9
16 17 18 19 20	3.9 3.9 2.8 2.8 2.8	2.8 2.8 3.9 5.0 6.2	25.0 59.0 258.0 145.0	2.8 2.8 2.8 2.8 2.8	2.8 2.8 2.8 2.8 5.0	5.0 6.2 5.0 6.2 6.2	2.5 10.5 2.8 2.5 2.3	2.5 2.3 2.3 2.3	3.9 5.0 5.0 3.9 3.9	3-9 3-9 3-9 5-0 8-4	2.8 2.8 2.8 2.8 2.8	5.0 5.0 5.0 5.0 3.9
21 22 23 24 25	3.9 3.9 5.0 6.2 6.2	5.0 5.0 5.0 5.0	325.0 6.2 1.8 6.2 3.9	2.8 2.8 2.8 2.8	5.0 5.0 3.9 3.9 3.9	6.2 6.2 5.0 5.0	2,8 6,2 3,9 2,8 2,3	2.5 2.5 2.8 2.8 2.8	3.9 3.9 5.0 5.0	6.2 6.2 6.2 7.3	2.8 2.8 2.8 3.9 3.9	5.0 8.2 5.0 2.8 2.8
26 27 28 29 30 31	6.2 6.2 6.2 7.3 9.5 9.5	16.2 3.9 233.0 931.0 16.4	3.9 5.0 7.3 9.5 8.4 8.4	3.9 3.9 3.9 2.5 2.5	3.9 2.8 2.8	5.0 3.9 3.9 2.8 5.0 2.8	2.0 2.3 2.3 2.3	2.8 2.8 16.9 3.9 5.0 2.8	5.0 5.0 5.0 5.0 5.0	7.3 5.0 5.0 5.0 5.0	5.0 5.0 5.0 5.0 3.9 3.9	3.9 2.8 5.0 8.4 7.3
Total	139.1	1411.1	1000.4	227.1	86.0	232.7	137.9	116.9	122.4	152.4	130.8	119.5
Mean Daily Discharge	4.48	47.0	32.3	7.63	3.07	7.81	4.114	3.77	11,38	4.91	4.21	3.98
Max. Mean D Discharg		931.0	325.0	110.0	5.0	109.0	39.0	17.1	7.3	8.4	1,2	8.4
Min. Mean D Discharg		2.8	1.8	5.0	5.0	2,5	2.0	2.0	2.8	2.8	2.8	2.8

Maximum Stage 3,27 feet at 1148 on Nov. 29, 1970. Discharge 5330 second-feet. Total Acre-feet 1970-71 (76.90 .0)

MEAN DAILY DISCHARGE OF LOS ANGELES RIVER AT TUJUNGA AVENUE

Runoff in Arre-feet 270.0 2800.0 1980.0 450.0 171.0 462.0 274.0 232.0 243.0 (6). 259.0 237.0

Station 300) D				1	n second-1	eet					
Pay		November	: December	: January	: February	: March	: April	: May	: June	: July	: August	: Septembe
1	13.0	8.9	83.0	14.5	15.1	168.0	25.0	18.0	16.4	20.0	13.7	15.4
2	13.7	9.5	411.0	15.6	14.1	150.0	24.0	17.6	15.9	19.0	13.9	14.9
3	50.0	8.7	15.6	14.9	13.1	155.0	25.0	17.6	17.2	18.0	14.2	
j L												13.7
	26.0	8.7	15.6	14.9	12.1	157.0	55.0	17.6	₹8 . 0	17.5	10,4	14.9
5	14.2	8.9	19.4	14.9	13.2	154.0	24.0	17.6	15.9	17.5	16.5	14.9
6-	13.7	113.0	14.7	14.9	15,2	148.0	27.0	17.1	10.2	17.5	14.7	156.0
7	10.2	13.9	11.1	14.9	15.2	149.0	28.0	17.6	16.7	17.5	17.2	16.4
8	10.2	10,6	11.1	14.9	17.7	143.0	24.0	17.6	18.5	17.5	17.5	13.0
9	10.2	9.5	225.0	14.9	164.0	149.0	27.0	17.6	18.0	17.5	17.5	15.4
10	10.9	8.9	11.1	14.9	436.0	148.0	27.0	17.6	17.2	17.5	16.4	15.2
		0.0	8.0	11.0	100.0	146.0	24.0	100	11.0			
11	10.6	8.2		14.9	400.0			17.6	14.9	17.5	15.9	15.7
12	11.1	8.0	7.8	526.0	259.0	151.0	26.0	17.6	13.7	17.5	19.1	15.9
13	10.4	7.6	10.9	247.0	187,0	553.0	28.0	17.t	15.9	17.5	22.0	18.3
14	9.7	7.0	150.0	66.0	35.0	148.0	584.0	18.0	15.4	17.5	19.7	18.8
15	9.5	7.4	11.3	13.9	44.0	128.0	38.	18.5	44.0	17.0	16.9	10.7
16	10.2	8.9	114.0	13.9	355.0	104.0	32.0	19.0	30,0	16.5	16.7	10.5
17	8.2	9.1	184.0	13.9	411.0	14.0	36.1	19, 1	31.1	10.2	16.4	15.4
18												
	8.0	9.5	2920,(13.9	30.0	40.0	50.0	50.0	28.0	15.7	16.2	18.0
19	8.4	10.2	2480.0	13.9	29.0	36.0	20.0	20.0	27.0	17.2	19:0	17.2
50	7.6	12.2	257.0	13.9	25.0	30.0	50.0	51.0	26.0	16.9	15.4	10.7
21	8.7	13.4	3150.0	13.9	19.4	58.0	20.0	18.5	25.0	17.7	1:.2	10.4
55	7.8	11.6	15.6	14.3	18.8	25.0	20.0	10.4	23.0	15.9	15.7	13.9
23	7.8	11.8	15.6	14.7	21.0	24.0	20.0	17.2	55.0	17.7	14.4	14.7
24	8.4	11.3	15.6	19.1	17.7	32.0	20.0	21.0	55.0	15.4	17.2	14.2
25	7.6	115.0	14.5	19.5	17.2	27.0	20.0	20.0	22.0	14.9	19.9	14.2
20	7.2	167.0	14.5	15.9	18.5	31.0	3€.0	19.7	55*0	15.9	14.9	13.4
27		10.0	14.5				40.0	48.0	21.0		16.4	13.4
	7.0			16.5	120.0	64.0				14.2		
58	6.8	1900.0	14.5	16.5	169.0	69.0	19.8	192.0	21.0	111.0	17.2	14.7
29	7.4	9170.0	14.5	16.5		26.0	19.8	16.9	21.0	13.7	142	13.9
30	8.9	574.0	14.5	16.5		24.0	19.8	15.9	21.0	13.0	14.7	13.4
31	8.0		14.5	16.5		28.0		13.7		13.0	14.9	
Total	322.0	12271.8	10266.9	1258,5	2848.3	3317.0	1310.4	714.5	6,4.9	516.2	67:.7	0.15
ran Daily Discharge	10.4	409.0	331.0	40.6	104.0	107.0	43.7	24.7	21,2	16.7	21.9	20.1
ax, Mean												
Discher	20.0	9170.0	3150.0	52(-,0	436.0	553.0	584.0	192.0	lelle et	50.0	190.0	19(4)
in. Mean												
Dischar	7.2	7.0	7.8	13.9	12.1	24.C	19.8	13.7	13.7	13.0	13.7	13.4
unoff in												
ere-feet	639.0	24340.0	20350.0	2500.0	5750.6	6580.0	26.00.0	1520.0	1211.0	1020.0	1350.0	1190 .0

Maximum Stage 11.38 feet at 1124 on Nov. 29, 1970. Discharge 25,920 second-feet.

Total Acre-feet 1970-71 (69,690.6)

ion ll	8 B-8				11	second-fo	et					
Day		November :	December	: Jamary	: February :	March	April	: May	June	July	: August	: Septembe
1	0.6	0.5		2.0	40.0	19.0	6.7	6.1	2,2	1.0	1.0	1.0
5	0,6	0.5		2.0	59.0	19.0	€.7	F.1	1.8	1.0	1.0	1.0
3	0.6	0.5		2.0	50.0	23.0	€.7	6.1	1.5	1.0	1.0	1.0
4	0,0	0.5		2.0	55.0	28.0	6.7	6.1	1.5	1.0	1.0	1.0
5	0.6	0.5		5.0	26.0	25.0	6.7	6,1	1.5	1.0	1.0	1.0
Ŀ	0.6	0.5		2.0	2.0	23.0	6.7	6.1	1.5	1.0	1.0	1.0
7	0.6	0.5		2.0	2.0	22.0	6.7	8.0	1.5	1.0	1.0	1.0
á	0.5	0.5		2.0	45.0	22.0	6.0	9.4	1.5	1.0	1.0	
						22.0						1.0
9	0.5	0.5		2.0	34.C		6.0	9.4	1.5	1.0	1.0	1.0
10	0.5	0.5	*	5.0	7.4	55.0	6.0	8.0	27.0	1.0	1.0	1.0
11	0.5	0.5		2.0	7.7	12.8	6.0	6.2	39.0	1.0	1.0	1.0
12	0.5	0.5		2.0	8,1	7.9	8.9	5.8	34.0	1.0	1.0	1.0
13	0.5	0.5		2.0	8.4	7.9	8,9	5.5	39.0	1.0	1.0	1.0
14	0,5	(.5		2.0	8.3	7.9	8.9	4.8	45.0	1.0	1.0	1.0
15	C.5	0.5	(.1	2.0	15.	7.9	8.9	4.8	53.0	1.0	1.0	1.0
10	0.5	0.5	3.8	2.0	23.0	7.9	8.9	4.8	1.0	1.0	1.0	1.0
17	0.5	0.5	2.7	5.0	55.0	8,9	8.9	4.8	1.0	1.0	1.0	1.0
18	0.5	0.6	-	2.0	22.0	10,9	8.9	4.8	1.0	1.0	1.0	1.0
					22.0			4.8				
19	0.5	0.6	+	5.0		22.0	8.9		1.0	1.0	1.0	1.0
50	0.5	0.t	•	5.0	22.0	34.0	8.9	4.8	1.0	1.0	1.0	1.0
21	0.5	0.6	9.9	2.0	22.0	33.0	8.9	4.8	1.0	. 1.0	1.0	1.0
22	0.5	0.6	62.0	2.0	55.0	19.1	7.6	4.1	1.0	1.0	1.0	1.0
23	0.5	0.5	61.0	2.0	22.0	8.8	6.1	3.4	1.0	1.0	1.0	1.0
24	0.5	0.5	58.0	2.0	22.0	7.4	6.1	3.4	1.0	1.0	1.0	1.0
25	0.6	0.5	60.0	2.0	22.0	7.4	6.1	4.5	1.0	1.0	1.0	1.0
2€	0.5	0.5	55.0	2.0	10.6	7.4	6.1	2.2	1.0	1.0	1.0	1.0
27	0.5	0.2	51.0	2.0	0.6	6.7	6.1	5.2	1.0	1.0	1.0	1.0
28	0.5		64.0	2.0	0,6	€.7	6.1	2.2	1.0	1.0	1.0	1.0
29	0.5	1	79.0	2.0	0.0	6.7	6.1	2,2	1.0	1.0	1.0	1.0
	0.5		77.0	2.0		6.7	6.1	2.2	1.0	1.0	1.0	1.0
30 31	0.5	•	36.0	2.0		6.9	0.1	2.2	1.0	1.0	1.0	1.0
31	0.,		30.0	2,0		(14.7						
tal	16.3	13.7	619.5	h2.0	£06 ₊ 3	469.9	510.3	155.9	26f.5	31.0	31,0	30.0
Daily		6 14	20.0	2.0	22.0	15.2	7.2	5.0	8.9	1.0	1.0	1.0
charge	0.53	0.44	20.0	2.0	22.0	19.2	1.2	5.0	0.9	1,0	1.0	1.0
. Mean scharg		0.6	79.0	2.0	59.0	34.0	8.9	9.4	53.0	1.0	1.0	1.0
Mean												
ischarg				5.0	0.6	6.7	(,0	2.2	1.0	1.0	1.0	1.0
off in												
-feet	32.0	27.0	1230.0	123.0	1200.0	932.0	429.0	309.C	529.0	t1.0	61.0	60.0

No instantaneous discharge. Flows were mostly dam releases. (*) Denotes insignificant flow.

Total Acre-feet 1970-71 (4990,10)

MEAN DAILY DISCHARGE OF BURBANK WESTERN STORM DRAIN AT RIVERSIDE DRIVE

tion E a	0A5_D				1	second-	reet					
Day	: October	: November	: December :	January	: February :	l'arch	April	: May :	June	: July :	Auguet :	Septemb
1	7.1	8.6	8,6	8.6	10.2	5.4	8.7	4.5	5.4	5.6	2.2	7.1
2	5,6	11.7	49.0	8.6	8,6	5.0	8.6	4.5	5.6	4,5	2.2	7.1
3	8,6	10.2	8.6	8,6	10.2	1,1	7.1	7.1	5.6	3.9	2.8	7.1
4	8.6	8.6	8.6	8.6	10.2	13.2	7.1	7.1	5.6	3.9	2.2	5.6
5	10.5	5.6	8.6	8.6	10.2	11.7	10.2	5.€	5.6	4.5	2.2	5.6
		200	0.6	8,6	10.0	5.6	10.2	21.0	5.6	5.0	5.0	10.2
6	11.7	36.0	8.€		10.2					5.0	5.0	5.6
7	8.6	2.8	8.6	8.6	10.2	5.6	8.6	16.2	7.1			
8	7.1	2.8	8.6	16.2	13.2	5.6	7.1	8.6	7.1	5.0	5.0	5.6
9	5.0	3.4	8.6	14.7	17.8	5.6	5.6	5.6	7.1	5.0	5.0	5.6
10	5.0	2.8	8.6	14.7	19.3	5.6	5.6	5.6	8.6	5.0	5.0	5.6
11	5.0	2.8	8.6	13.2	10.2	5.6	5.0	5.6	13.2	4.5	5.0	5.t
12	7.1	3.4	8.6	99.0	8.6	5.€	8.6	5.6	13.2	4.5	8.6	5.6
13	7.1	3.4	8.6	11.7	5.6	36.0	10.2	8.t	8.6	4.5	8.6	5.6
14	7.1	2.8	8.6	8.6	5.6	16.2	110.0	8.€	8.6	4.5	8.6	5.6
15	7.1	2.8	8.6	8.6	7.1	16.2	5.6	7.1	5.6	5.6	7.1	7.1
16	5.0	2.8	8,6	8.6	75.0	16.2	4.5	5.6	5.6	4.5	5.6	7.1
17		2.8	8.6	8.6	28.0	16.2	4.5	5.0	5.6	3.9	5.6	7.1
	4.5				14.7	16.2	4.5	5.6	5.6	2.8	5,6	7.1
18	3.9	3.4	281.0	8.6				5.0	5.6	3.9	7.1	7.1
19	5.6	3.4	105.0	8.6	14.7	16.2	7.1	5.t	5.6	3.9	5.6	8.6
20	5,6	3.4	8,6	8.6	14.7	16.2	5.0					
21	5.6	3.4	206.0	8.6	11.7	10.2	4.5	8.6	5.6	4.5	5.6	8.6
55	4.5	3,4	8.6	8.6	10.2	8.6	5.0	8.6	5.6	5.0	8.6	8.6
23	5.0	3.4	8.6	8.6	10.2	8.6	3.4	7.1	5.6	5.0	10.2	8.6
24	5.6	3.4	8.6	8.6	10.2	8.6	4.5	8,6	5.6	5.6	8.6	8.t
25	5.6	22.0	8.6	8.6	11.7	8.6	4.5	7.1	5.0	5.0	7.1	8.6
26	5.6	21.0	8.6	8,6	8.6	8,6	4.5	7.1	4.5	7.1	10.2	8.6
27	7.1	7.1	8.6	10.2	5.0	8.6	4.5	7.1	3.9	5.6	5.6	8.6
28	5.6	248.0	8,6	10,2	5.0	8.6	4.5	14.7	4.5	8.5	5.6	8.6
29	7.1	771.0	8,6	8,6		8,6	7.1	5.6	4.5	2.8	5.6	8.6
30	7.1	10.2	8.6	8,6		8.6	5.6	5.6	5.6	2.8	5.6	8.6
31	10.2	10,2	8.6	8.6		10.2		5.6		2.8	7.1	
otel	204.5	1216,4	873.2	387,7	376.9	326.9	28¢.8	233.8	191.1	139.6	183.8	217.6
n Oeily echerge	6.6	40.5	28.2	12.5	13.5	10.5	9.56	7.54	6.37	4.50	5.93	7.25
. Mean :		771.0	281.0	99.0	28.0	36.0	110.0	21.0	13.2	7.1	10.2	10.2
. Mean iacherg		2.8	8.6	8,6	5.0	5.0	3.4	4.5	3.9	2.8	2.2	5.6
off in	100	21.10.0	1720.0	260.0	71.8 0	648.0	560 D	464.0	379.0	277.0	365.0	432.0
e-feet	406.0	2410.0	1730.0	769.0	748.0	648.0	569.0	464.0	3/9.0	211.0	307.0	432.0

Maximum Stage 3.45 feet et 1100 on Nov. 29, 1970. Discharge 4599 Second-feet

Total Acre-feet 1970-71 (9200.0)



APPENDIX D

WELLS DRILLED
AND
DESTROYED



WELLS DRILLED 1970-71

State Well No.		Owne	r	
1N/14W-06K3 1N/14W-06K4	Los Angeles	Departm	ent of Water 8	& Power
ln/15W-07D1 ln/16W-12L1	Los Angeles	County :	Flood Control	District
1N/16W-15N1	**	11	**	11
lN/17W-01G1	11	tt	11	Ħ
lN/17W-01J1	11			**
2N/13W-34B2	If	11	11	11
2N/14W-09K1	91	11	11	tt
2N/14W-14K1	Metropolitan	n Water :	District of So	outhern California
2N/17W-36R1	Los Angeles	County :	Flood Control	District
3N/15W-36F1	Metropolitan	n Water :	District of Se	outhern California
1s/13W -04 C2	Western Oil	and Gas	Association	

WELLS DESTROYED 1970-71

1N/13W-19B4 1N/13W-19J2	City of Glendale Roger Jessup Farms
1N/15W-23L1	Cecilia Vanonie
2N/13W-34M1	Metropolitan Water District of Southern California
2N/14W-13K1	Silvestre Hernandez
2N/17W-13H2	W. E. Silverwood
2N/17W-19Q1	Livingston-Graham, Inc.
3N/15W-21P1	Unknown
3N/15W-26G1	Mullin Investment Company
3N/15W-34K4	City of San Fernando



APPENDIX E

EARTHQUAKE DAMAGE
TO WATER SUPPLY SYSTEMS
Cities of
LOS ANGELES AND SAN FERNANDO



EXCERPT OF

" EARTHQUAKE EMERGENCY REPORT - CITY OF LOS ANGELES " FEBRUARY 1971

I INTRODUCTION

The Earthquake

The Los Angeles area was jolted by a strong earthquake on Tuesday, February 9, 1971. The quake hit at 6:01 a.m. and had a magnitude of 6.6 on the Richter Scale. Its epicenter was in a sparsely settled area north of the City of Los Angeles, about 10 miles east of Newhall (see Exhibit 1).

Hardest hit by the earthquake were the Granada Hills, Sylmar and Olive View areas of the City of Los Angeles and adjoining areas of the City of San Fernando. In these areas, all lying within a three-mile radius in the north part of the San Fernando Valley, the U. S. Veterans Hospital, the Olive View Sanitarium, a major freeway interchange, the jointly owned Sylmar AC-DC Converter Station, the Metropolitan Water District's Joseph Jensen Filtration Plant and the DWP Water System's Van Norman Reservoir Complex and distribution system, as well as many other structures, sustained major damage. Private homes and businesses suffered severe damages. The earthquake caused at least 64 deaths. When the final assessment is made, the total loss may be as much as \$1 billion.

This report describes the damages incurred and the actions taken, immediately after the earthquake and in the following days, by the Water System of the Los Angeles Department of Water and Power.

The Van Norman Reservoir Complex

The Water System's Van Norman Reservoir Complex is the terminus of the two Los Angeles Aqueducts which deliver 80 percent of the total water supply to the City. The complex consists of two major reservoirs formed by the Upper and Lower San Fernando Dams, a smaller bypass reservoir, a complex of bypass pipelines, penstocks for power stations, bypass channels, chlorination stations and standby pumping stations. Fanning easterly, westerly and southerly from the Van Norman Complex are major water pipelines which distribute and transfer water to other areas of the City (see Exhibits 2 and 3).

The complex is so designed that normal water supply to the City can be maintained, at least for a time, even if one or more facilities are out of service. For example, if one reservoir was out of service, water could be diverted through bypass pipes and channels around the reservoir. If one aqueduct was out of service, water could be diverted through interconnections from the other aqueduct to provide service to the trunk lines which are normally supplied by the aqueduct out of service. If both aqueducts were out of service at the same time, service could be maintained by drawing upon the stored water in the two reservoirs, either by gravity or by operating standby pumping stations (see Exhibit 4).

The Upper and Lower Van Norman Reservoirs, both aqueducts and four major trunk lines delivering water westerly and easterly through earthquake ravaged areas were damaged, causing disruption of water service to approximately four percent of all services.

Damages to Facilities (Noted on Tuesday, February 9, 1971)

Lower Van Norman

The upstream face of the dam of Lower Van Norman Reservoir had suffered a major slide with a width of roughly 1,000 feet. The top of the remaining embankment was roughly six feet above the water surface and fractured but the buttress fill placed on the downstream face in 1940 contained no cracks (see Exhibit 5). The tower for Outlet No. 1, or the east outlet, disappeared under the water and was later found to have tilted northerly and sheared 20 feet above its base. The bridge to the tower for Outlet No. 2, or the west outlet, was badly twisted and buckled.

Upper Van Norman Reservoir

At the Upper Van Norman Reservoir there was evidence that the downstream face and crest had moved downstream. The junction of the upper end of the spillway and the bypass channel was damaged and undermined by flowing water. The bridge to the tower for Outlet No. 1 was down. Two sides of the portal vault of Outlet No. 1 were pushed inward, and muddy-colored seepage was flowing from one corner. Downstream from the vault a flow of approximately 100 cubic feet per second was discharging from a broken pipe and flowing across the basin into Lower Van Norman Reservoir.

The lining of the tailrace channel of San Fernando Power House No. 3 was fractured and the banks were eroded by water flowing through and around the power house from the damaged penstock.

At the junction of the high-speed channel and the bypass channel, the stilling basin walls and gate structure were cracked. The concrete lining of the bypass channel was cracked and many sections were lifted and displaced.

First and Second Los Angeles Aqueducts

The damages to Aqueduct facilities were confined primarily to the First Los Angeles Aqueduct Penstock, the Cascades, the Saugus Pipeline of the Second Los Angeles Aqueduct on the north slope of Terminal Hill, the First Aqueduct in Magazine Canyon just north of Terminal Hill, and various tunnel and conduit sections of the First Aqueduct between the City limits and San Francisquito Canyon.

Inside the San Fernando Power Plant, cracked control valves and scroll cases on Units 1 and 2 left the plant inoperative. The resulting uncontrolled flow from the Penstock caused severe damage and erosion to the power plant foundation and tailrace channel. Throughout the entire Penstock from the power plant upstream to the head-gates at the Cascades there was evidence that rivets had been pulled out as a result of pier supports displacing the external stiffener rings. It appeared several piers had sunken one to two feet, the 3/8-inch steel plate had buckled at pier supports, and one of the expansion joints pulled apart nearly 20 inches.

Damage in the vicinity of the Aqueduct Cascades consisted of extensive cracking, with most of the damages confined to the First Los Angeles Aqueduct Cascades. The concrete channel lining was badly cracked in many areas and some sections were uplifted and displaced.

The Terminal Hill spillway structure of the Second Aqueduct was essentially undisturbed; some damage to the pad paving was evident as well as numerous slides along the access roadway. Some areas of the Terminal Hill pad were visibly sunken and portions of the 77- and 54-inch vault piping had separated.

Some of the most extensive Second Aqueduct facility damage occurred on the north slope of Terminal Hill where the 77-inch Saugus Pipeline is supported aboveground on concrete piers. The pipeline appeared to have suffered a compression failure due to the northward movement of part of the slope. Anchor blocks and piers apparently were heavily jostled on the upper half of the slope, with piers being dislocated six inches to a foot downhill with respect to the pipeline. The pipeline appeared to have accordioned on itself at mid-slope, resulting in a 6-inch collar on the pipe and spilling water from the collar causing severe erosion around piers and anchor blocks.

Damage to the First Aqueduct in the Magazine Canyon area, just north of Terminal Hill, consisted of extensive cracking in the box conduit at the junction of the Maclay High Line conduit causing numerous leaks and extensive erosion. It appeared that the Magazine Canyon area settled nearly a foot relative to the Aqueduct and High Line.

Along the First Aqueduct, between Magazine Canyon and San Francisquito Canyon, north of the town of Saugus, conduits and tunnels were badly cracked in numerous locations and air valves were damaged on many of the siphon sections.

Water System Facilities West of the Van Norman Reservoirs

West of the Van Norman Reservoirs, approximately 14,000 services and 1,200 fire hydrants were without water.

The 54-inch Susana Trunk Line, which supplies water to the higher elevations of the Porter Ranch area, sustained three major breaks and one coupling separation. The 48-inch Granada Trunk Line, supplying the damaged Mission Hills and Granada Hills area, as well as other portions of the West Valley, was severely damaged, especially that portion located in the utility corridor just west of the San Fernando Power House.

The Sesnon Tank, with a capacity of 2 million gallons and located northwest of Porter Ranch, and the Granada High Tank, with a capacity of 590,000 gallons and located northeast of Porter Ranch, were seriously damaged and left without water supplies.

In all, some 300 breaks, shattered mains, or service leaks were found in the West Valley area.

South of the Lower Van Norman Reservoir, quantities of mud and sand were sucked into the trunk lines and distribution mains through the many breaks. In addition to mud and sand, rocks and chunks of broken concrete entered the water system through the tilted and sheared tower of Lower Van Norman Reservoir and were spread over a 25 square mile area.

Water System Facilities East of the Van Norman Reservoirs

East of the Van Norman Complex, approximately 10,800 services and 850 fire hydrants were without water.

At the junction of the 54-inch Upper Van Norman Bypass and the 30-inch Olden Street Diversion Line, two large couplings had pulled apart. The tunnel and conduit sections of the Maclay High Line, a concrete box conduit built in 1917 which supplies water to the Sylmar and Olive View areas sustained heavy to moderate damage, but the extent of the damage was not known until full inspection was made on March 19, 1971. At the terminus of the Maclay High Line, the Maclay Reservoir, a concrete lined and covered reservoir, whose capacity is 5.3 million gallons, was dry; its timber roof and supports were collapsed and the concrete lining in two corners was cracked and displaced. The Maclay Reservoir outlet lines were pulled apart and broken in numerous places; one 1,800-foot long section of 22-inch riveted pipe averaged one leak every 50 feet; and another 1,400-foot long section of 24-inch pipe average one leak: every 70 feet.

In all, 1,200 breaks, shattered mains, or service leaks were found in the East Valley areas, with the highest concentration in the Sylmar area.

II INITIAL REACTIONS

Lower Van Norman Reservoir

Robert E. Noel, reservoir keeper, was the first to view the damaged dam holding back 11,200 acre feet of water, or 3.6 billion gallons (design capacity was 20,518 acre feet), in the Lower Van Norman Reservoir. Mr. Noel, aroused from his sleep, drove from the reservoir keeper's house at the base of the Lower Dam up the road to the crest. Even though it was dark and the air was still dust-laden, Noel could see enough of an outline of damage which prompted him to retrace his steps to make the first of two calls, at 6:10 a.m., before telephone service failed.

Clyde W. Carney, also a reservoir keeper, who lives just minutes away from the Lower Dam, arrived and headed for the Upper Van Norman Reservoir. Fraser M. Crofts, engineer of the Water System's Inspection Section, arrived from his home in the Valley at about 6:18 a.m. and was followed by Robert Merrill, an engineer with the Division of Safety of Dams of the Department of Water Resources. Their messages were by radio at 6:24. Helmer F. Hanson and Oscar E. Hensgen, two Water System Design engineers, arrived together and were followed by Justin M. Wool, Engineer in Charge of the Water System's Dams, Geology and Materials Section, who arrived between 6:55 and 7:15 and subsequently took charge of emergency operations at the dam.

The principal concern was that major earthquake aftershocks would further damage the embankment of the Lower Dam. Of less concern were the considerations that wind-whipped waves would further erole the damaged embankment and allow the dam to be overtopped, or that the hanging scarp left by the slide would fall, or the upper dam would fail and create a wave which would also overtop the dam.

The dam was immediately inspected by the engineers for damage. Observation wells and drainage systems were checked. Pore pressures, as determined by the observation wells, increased for a short time but rapidly returned to normal. Seepage was found to be above normal with some turbidity, but very shortly returned to normal. Measurement and settlement surveys made later showed that the berm moved approximately two feet southerly and settled nearly half a foot.

Beginning at 6:30 a.m., February 9, steps were taken to increase the normal outflow from the lower reservoir. Water was spilled at a variety of places into flood control channels, the Los Angeles River, and the Tujunga Spreading Grounds. Water was transferred to other storage locations at Franklin, Stone Canyon, Hollywood and Santa Ynez Reservoirs (see Exhibit 3). Demand for Van Norman Reservoir water downstream was created by shutting off well systems at the Vanowen and River Supply Conduit Wells and by starting the Sheldon Pumping Station to pump low system water to higher deficient areas. The U. S. Corps of Engineers contracted with Stang Hydronic, Inc., to provide 11 pumps, which pumped directly from Lower Van Norman Reservoir into Bull Creek Flood Control Channel.

The maximum average rate of outflow from Lower Van Norman Reservoir for any one day was 660 cubic feet per second (cfs); the peak rate was 700 cfs. Pumping accounted for 30 to 60 cfs maximum (see Exhibit 6). Spilling operations were discontinued February 12 when the water surface dropped from elevation 1,109 to 1,092 feet and the volume had been reduced from 11,200 to 6,500 acre feet. Water was used in the system until February 19, when the turbidity sharply increased because of an underwater slide. The balance was drained into Bull Creek by four 12-inch emergency taps to the 78-inch outlet line.

Upper Van Norman Reservoir

The main concern for the Upper Van Norman Reservoir dam was that piping was occurring as evidenced by the muddy-colored seepage which appeared at one corner of the portal vault of Outlet No. 1. The tower gates and a gate downstream were closed to isolate the outlet line, and blowoffs were opened to relieve the pressure in the outlet line. Immediately, the flow at the corner of the vault decreased and the color slowly cleared up, indicating that the muddy-colored seepage was originating from leaks in the tower gates or foundation.

On February 9, at about 7 a.m., the outflow from Upper Van Norman Reservoir was increased by opening a 48-inch needle valve to discharge water into the Chatsworth High Line, and subsequently some of this discharge was spilled into the Los Angeles River (see Exhibit 6). In the afternoon, two 24-inch holes were cut in the 99-inch bypass pipeline downstream where it crosses Bull Creek to increase the outflow and supplement the existing 12-inch blowoff.

The next day, spilling was discontinued and the rate of outflow was reduced to that required to supply the Chatsworth High Line.

A new operating level for the reservoir was established at elevation 1,195 feet. When the water level dropped to this level February 12, the volume of water had been reduced from the full capacity of 1,848 acre feet, 602 million gallons to 625 acre feet.

Measurement and settlement checks indicated that the relative lateral movements of the west and east abutments were 0.4 and 1.7 feet northerly, respectively, and the dam embankment moved a maximum of 5.1 feet southerly at one location. The settlements of the east and west abutments were 0.1 and 0.5 feet, respectively, and the maximum settlement of the embankment was three feet at one location.


First and Second Los Angeles Aqueducts


After the initial shock and assessment of damages in the Sylmar-Van Norman Lakes area, the initial operations of the Aqueduct Division were to halt the flow of Aqueduct water into the badly damaged area.

Flow in the Saugus Pipeline of the Second Los Angeles Aqueduct was already being reduced at the time of the quake due to a planned three—day shutdown for repair work scheduled in advance to commence at 6 a.m. on February 9. This flow was being terminated at Drinkwater Reservoir, the northern terminus of the Saugus Pipeline and northeast of Saugus.


The flow in the First Aqueduct was ordered stopped at Fairmont Reservoir, west of Lancaster, at about 7 a.m. Aqueduct personnel stationed at Dry Canyon Reservoir to the south were instructed to trap the remaining Aqueduct flow in transit from Fairmont and discharge it through blowoff valves at Dry Canyon.

Access into the Cascades and Terminal Hill areas was extremely difficult due to road outages and numerous slides. By mid-day, Wells O. Abbott, Aqueduct Division Southern District Engineer, was able to get into the area and meet Glen B. Wallace, Southern District Superintendent, who had driven down from Aqueduct offices in Mojave to inspect damages near Terminal Hill, Magazine Canyon and various points north along the Aqueducts. After inspecting the damages, Messrs. Abbott and Wallace formulated plans for repair work activities for the following day.





-87-



EXCERPT FROM

"REPORT ON THE CITY OF SAN FERNANDO WATER SUPPLY SYSTEM" - NOVEMBER 1971

III. WATER SUPPLY SYSTEM

A. GENERAL

The water supply system consists essentially of seven wells, two booster pumping stations and five regulating storage reservoirs for serving the High, Middle, and Low Level Distribution Zones. The Middle Zone water supply is obtained from Wells No. 2, 3, 4, 5, and 7A, and the MWD Booster Pumping Station, and is stored in Reservoirs R-2 and R-5, which are interconnected and "floats" on the system. The High Zone water supply is obtained primarily from Reservoir R-2 which is lifted to Reservoirs R-3 and R-4 by the High Level booster pump(s). The Low Zone water supply is obtained from Wells No. 1 and 6, and is stored in Reservoir R-1. A tie with the Middle Zone distribution system provides supplemental water into Reservoir R-1 when required, through an automatic hydraulic-operated altitude valve at the reservoir.

B. DESCRIPTION OF FACILITIES

1. Water Wells

- a. Well No. 1. This well, drilled in 1901, is located northeast of Fourth and Hubbard Streets. It apparently was not damaged by the earthquake and did not require major modification. The pump is a Gould Model 10JMC, 4-stage, oil-lubricated line shaft deepwell turbine pump, with 8-inch diameter by 120-foot long column, set in a 15-inch diameter by 170-foot casing. The pump is driven by a 1760-rpm, 30-hp, General Electric Motor No. 12F5612S, operating on 220-volt, 3-phase, 60-Hertz power.
- b. Well No. 2. This well, drilled in 1910, is located at the southeast corner of Borden Avenue and Sayre Street. It was damaged by the earthquake and required replacement of the pump and other modifications. The new

pump is a Worthington Model 10H, 7-stage, oil-lubricated, line-shaft deep well turbine pump. The pump is driven by a 1760-rpm, 50-hp, General Electric Motor No. 6328929, operating on 460-volt, 3-phase, 60-Hertz power.

c. Well No. 3. This well, drilled prior to 1920, is located at the southwest corner of Borden Avenue and Dyer Street. It was damaged by the earthquake and required replacement of the pumping unit and other modifications. The new pump is a Layne & Bowler Model 12RH, 5-stage, oil-lubricated line shaft deep well turbine pump with 10-inch diameter by 200-foot long column set in an 18-inch diameter by plus or minus 309-foot casing. The pump is driven by a new 1770-rpm, 125-hp, U.S. Corporation electric motor, operating on 460-volt, 3-phase, 60-Hertz power.

d. Well No. 4. This well, drilled in 1926, is located northwest of Eighth and Hubbard Streets. It was not seriously damaged by the earthquake. The pump column required cleaning and was repaired. A conductor casing is apparently needed for this well. The pump is a Peerless Model IOMA, 6-stage, water-lubricated line shaft deep well turbine pump with 6-inch diameter by 230-foot long column set in a 14-inch diameter by 481-foot casing. The pump is driven by a 50-hp, 1750-rpm, General Electric Motor No. FBJ615470, operating on 460-volt, 3-phase, 60-Hertz power.

e. Well No. 5. This well, drilled in 1950, is located southeast of Eighth and Hubbard Streets. The extent of damage, if any, caused by the earthquake has not been determined. The pump is a Johnston Model 10BC, 8-stage, oil-lubricated, line-shaft deep well turbine pump. The pump is driven by a 1760-rpm, 50-hp, U.S. Corporation Motor No. 874839, operating on 460-volt, 3-phase, 60-Hertz power.

f. Well No. 6. This well, drilled in 1955, is located northeast of Fourth and Hubbard Streets. The extent of damage, if any, caused by the earthquake has not been satisfactorily determined. The pump is a Winthroath Model 12-352, 4-stage, oil-lubricated, lineshaft deep well turbine pump with 8-inch diameter by

170-foot long column set in an 18-inch diameter by 301-foot casing. The pump is driven by a 1760-rpm, 40-hp, General Electric Motor No. UMJ 627014, operating on 460-volt, 3-phase, 60-Hertz power.

g. Well No. 7. This well, drilled in 1960 and located on the south side of Glenoaks Boulevard easterly of Hubbard Street, was severely damaged by the earthquake. It contained the only submersible deep well pump owned by the City. Although design modifications were made for this well, it was later decided by the Corps of Engineers to abandon it, in accordance with Department of Water Resources Bulletin No. 74. As of this date, the equipment has been dismantled and the well properly filled with concrete.

-/-

h. Well No. 7A. This well was drilled after the earth-quake to replace the water supply lost when Well No. 7 was abandoned. It is located at the northwest corner of Astoria and Dronfield Streets. The pump and motor previously installed at Well No. 3 was reinstalled at Well No. 7A. The pump is a Gould Model 14JHO, 6-stage, oil-lubricated line-shaft deep well turbine pump with 12-inch diameter by 300-foot long column set in an 18-inch diameter by 377-foot casing. The pump is driven by a 1170-rpm, 100-hp, U.S. Pump Company Motor No. 102115, operating on 480-volt, 3-phase, 60-Hertz power.

2. Booster Pumping Stations

a. High Level Booster Pumping Station. This booster pumping station, constructed in 1963, is located at the northwest corner of Hubbard and Dronfield Streets. There was no evidence of earthquake damage to this facility. Two identical pumping units are installed. Each pump is a Peerless Model 10MA, 2-stage, waterlubricated, vertical canned turbine pump. Each pump is driven by a 1760-rpm, 20-hp motor operating on 460-volt, 3-phase, 60-Hertz power.

b. MWD Booster Pumping Station. This booster pumping station constructed subsequent to the earthquake, is located at the northeast corner of Jessie and First Streets. Source of water supply for this facility is from the Metropolitan Water District's Callequas Conduit. This facility was constructed to replace the

present water supply in case one or more wells, including new Well No. 7A, had to be abandoned. Two identical pumping units were initially installed with provisions for two additional identical pumps to be installed in the future. The fourth pump would be used strictly on a stand-by basis. Each pump is a Johnston Model 12ES, 4-stage, oil-lubricated, vertical canned turbine pump. Each motor is driven by an 1800-rpm, 150-hp, Westinghouse Motor operating on 460-volt, 3-phase, 60-Hertz power.

3. Regulating Storage Reservoirs

a. Reservoir R-1. This reservoir, constructed subsequent to the earthquake, is located northeast of Fourth and Hubbard Streets adjacent to Well Nos. 1 and 6. It replaces the embankment type circular reservoir (consisting of a reinforced concrete bottom and side slopes) which was severely damaged by the earthquake. The new 50,000-gallon capacity ground level storage reservoir is a steel fabricated circular tank 24 feet in diameter and 16 feet high with a top water surface elevation of 1,146 feet.

Piping for this reservoir includes a 6-inch inlet from Well No. 6, an 8-inch inlet from Well No. 1, a 6-inch inlet with altitude valve for fire flow from Reservoirs R-2 and R-5, and a 10-inch outlet.

b. Reservoir R-2. This reservoir, built after the earth-quake, is located northwest of Hubbard and Dronfield Streets. It replaces the embankment type rectangular reservoir (consisting of a reinforced concrete bottom and side slopes, together with a wood truss roof) which was severely damaged by the earthquake. The new 3 M.G. capacity semi-buried storage reservoir is a circular reinforced concrete reservoir, 181 feet in diameter and 17 feet high with a top water surface elevation of 1,260 feet.

Piping for this reservoir includes a 10-inch inlet from Wells No. 4 and 7A, a 6-inch inlet from Well No. 5, an 18-inch inlet from the Callequas Conduit, and a 16-inch outlet.

c. Reservoir R-3. This reservoir, constructed prior to 1920, is located northwest of Foothill Boulevard and Hubbard Street and was not seriously damaged by the earthquake. It is a circular reinforced concrete ground level storage reservoir with a capacity of 113,000 gallons. It is 50 feet in diameter and 8 feet

high with a top water surface elevation of 1,315 feet. Piping for this reservoir includes a 6-inch inlet-outlet pipe from the 10-inch inlet to Reservoir R-4.

- d. Reservoir R-4. This reservoir, constructed in 1963, is located adjacent to Reservoir R-3 and connected by piping to Reservoir R-3. The earthquake caused minor cracking which was repaired. It is a circular reinforced concrete ground level storage reservoir with a capacity of 1.0 M.G. It is 75 feet in diameter and 30 feet high with a top water surface elevation of 1,315 feet. Piping for this reservoir includes a 10-inch inlet-outlet pipe.
- e. Reservoir R-5. This reservoir, constructed in 1964, is located northwest of Hubbard and Dronfield Streets adjacent to Reservoir R-2. The earthquake caused minor circumferential cracking which was repaired. It is a circular reinforced concrete semi-buried storage reservoir with a capacity of 2.4 M.G. It is 160 feet in diameter and 17 feet high with a top water surface elevation of 1,260 feet.

Piping for this reservoir includes a 6-inch inlet from Wells No. 4 and 7A, a 6-inch emergency supply inlet from the City of Los Angeles, an 18-inch inlet from the Calleguas Conduit, and an 18-inch outlet.

C. PIPELINES

1. General

The City's transmission and distribution system piping consists of approximately 196 reaches of conduit totalling about 130,000 lineal feet, and ranges in size from 4-inch to 20 inches in diameter, exclusive of service connections. It includes 29,353 feet of 6-inch to 20-inch pipe installed following the Sylmar earthquake. Drawings referenced in Appendix C show the location of this piping, and the J. M. Montgomery report entitled, "System Hydraulic Analysis," referenced in the Appendix gives the pipe reach reference numbers, diameter, length, friction loss factors, head losses, and flow rates.


2. Condition of Pipe


Buried pipelines installed by the City for transmission and distribution of water prior to the earthquake, consisted of approximately 85 percent of cast-iron pipe and 15 percent of riveted steel pipe. Subsequent to the earthquake, portions of both types of pipe were available for visual inspection. Notwithstanding the fact that there was no evidence

of a previously applied protective coating, the portions of pipe inspected showed no sign of serious internal or external corrosion. Discussions with representatives of the City and Corps of Engineers substantiated this fact.

3. 1971 Additions

New pipelines installed after the earthquake included sections replacing pipe damaged by the quake, and reaches necessary to place new or modified facilities into operation -- such as the MWD Booster Pumping Station suction and discharge transmission lines, Well No. 7A transmission line, and yard piping at reservoirs and wells as shown in Table 1.














THIS BOOK IS DUE ON THE LAST DATE STAMPED BELOW

BOOKS REQUESTED BY ANOTHER BORROWER ARE SUBJECT TO RECALL AFTER ONE WEEK. RENEWED BOOKS ARE SUBJECT TO IMMEDIATE RECALL

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-Series 458

TC 824

California. Dept. of Water Resources. Bulletin.

C2

A2

no.181:71-75
appr. A-E

PHYSICAL

SCIENCES LIBRARY

10

